



Franke Faber India Private Limited is Licensed User of ©Trademark of FABER S.P.A
Features and specifications are subject to change without prior notice. Pictorial representation may not be identical to actual product.



C-GUARD

RO WITH VITAMIN C FILTER



**RO ki
purity.
Vitamin C ki
immunity.**

DELIVERS 4.5 mg OF VITAMIN C PER 100 ml OF WATER



C-GUARD PLUS

- RO + MAT + Vitamin C + UV
- 7 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- C-Guard Filter
- Post Carbon in C-Guard Filter
- Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator
- 2500 PPM TDS# Filtration Limit



ALTROZ

- RO + UV + UF + MAT + Mineral Filter Filtration
- 10 Litres (Gross Volume) Storage Tank
- 9 Stage of Filtration
- Sediment - 1
- Sediment - 2
- Pre Carbon
- Heavy Duty RO Membrane (Made In USA)
- Post Carbon
- Inside Post Carbon MAT* Filter
- Mineral Filter
- UF Membrane
- UV Filter
- 3000*PPM TDS# Filtration Limit
- Water Level Indicator



NEUTRON PLUS

- RO + UV + UF + CU Guard + PH Enhancer Filtration
- 10 Litres (Gross Volume) Storage Tank
- 9 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- CSM 80 GPD RO Membrane
- Post Carbon
- UF Membrane
- UV Filter
- Copper Guard
- PH Enhancer
- 2500*PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator



C-GUARD

- RO + MAT + Vitamin C
- 7 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- C-Guard Filter
- Post Carbon in C-Guard Filter
- Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator
- 2500 PPM TDS# Filtration Limit



XUV 8000

- 7 Litres (Gross Volume) Storage Tank
- UV + UF + Alkaline
- 7 Stage Filtration
- Sediment-1
- Pre Carbon
- Sediment-2
- Post Carbon
- Alkaline in Post Carbon
- UV Filter
- UF Membrane
- Water Level Indicator
- Tank Full Indicator
- 500 PPM TDS# Filtration Limit



CASPER PLUS

- RO + UV + CU Guard Filtration
- 10 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- Post Carbon
- UV Filter
- Copper Guard
- 2500* PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator



CASPER DLX

- RO + UF + MAT Filtration
- 10 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- Post Carbon
- Inside Post Carbon MAT* Filter
- 2500* PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator



UTS PT PRO (RO+UV)

- RO + UV Filtration
- 15 Litres (Gross Volume) Storage Tank
- 6 Stage No of Filtration
- Sediment - 1
- Sediment - 2
- Pre Carbon
- CSM 80 GPD RO Membrane
- Post Carbon
- 2500* PPM TDS# Filtration Limit
- >12LPH@25°C, 20 PSI, TDS 750PPM Filtration Capacity
- 1.6LPM RO Booster Pump



MAKE THE RIGHT CHOICE. CHOOSE THE SAFER GEYSER.



*5-Star BEE Standard

* TC Apply

PRESENTING FABER GEYSERS
WITH 12 SAFETY FEATURES



ANTI SHOCK PRESSURE RESIST

12 SAFETY
FEATURES



Single Weld line



5-Bolt Flange



Multi-Layer



Magnesium Anode




Thermal Cutout



Glasslined Element



High Working Pressure




High Precision Thermostat

MFV
(Extreme Condition)

No Water Leakages



Low Carbon Steel



Girth Welding

LEXUS

- FWG LEXUS 10, FWG LEXUS 15, FWG LEXUS 25
- 10, 15L, 25 Capacity
- Vertical Installation
- Red Ivory/Sandy Black Color
- Heating indicator
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



AVAILABLE COLOR



Sandy Black



Red Ivory

JAZZ LHS & RHS

- FWG JAZZ 15H, FWG JAZZ 25H,
- 15L, 25L Capacity
- Horizontal Installation
- White Color
- Heating indicator
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 4 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



JAZZ ELITE

- FWG JAZZ 15V, FWG JAZZ 25V,
- 15L, 25L Capacity
- Vertical Installation
- Wine Color
- Heating indicator
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



VULCAN

- FWG VULCAN 6V, FWG VULCAN 10V,
- FWG VULCAN 15V, FWG VULCAN 25V
- 6L, 10L, 15L, 25L Capacity
- Vertical Installation
- White Color
- Heating indicator
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



INSTA


- FWG INSTA 1L (3KW), FWG INSTA 1L (4.5KW),
- FWG INSTA3L (3KW), FWG INSTA 3L (4.5KW),
- 1L, 3L Capacity
- Vertical Installation
- White Color
- Heating indicator
- Fixed Control (55 Degree C) Controls
- 3000W, 4500 W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- SS TANK (304 grade) Tank material
- PRV Safety valve • Thermostat • Thermal cut off





FABER PRESENTS INDIA'S CHOICE CANDY

Available Colours




8 IN 1 FUNCTIONS



3-IN-1 MASTERCHEF

ALL-IN-1 MIXER GRINDER, JUICER & BLENDER
WITH KIT FOR WEIGHING, CHOPPING, CUTTING AND SLICING.

Available Colours



Free Accessories

FMG MASTERCHEF 3J/4J

- Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS 304 Jars & Blades
- Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nylon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS 304 Jars & Blades with lockable Jar Lids, Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar



FMG CANDY 4 J/3J

- Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS 304 Jars & Blades
- Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nylon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS 304 Jars & Blades with lockable Jar Lids, Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar



FMG CROWN 800 W 3J/4J

- Manual functions
- 4 Jar Blender Mixer Grinder
- Motor Capacity : 800 Watts (Copper)
- 0.4 ltrs/ 1.5 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Klip lock



FMG HILUX 550 W

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 550 Watts (Copper)
- HIGH PERFORMANCE
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Klip lock



FMG VOGUE 600 W

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 600 Watts (Copper)
- HIGH PERFORMANCE
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Klip lock



SONNET 500 W

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 500 Watts (Copper)
- HIGH PERFORMANCE
- 1.2 ltrs/ 0.8 ltrs/ 0.350 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug



Bake, toast and grill GOODNESS!

Make every day delightfully delicious with the FABER OTG.



THE **FOTG** SERIES



60 MINUTES
TIMER



CHAMBER LIGHT FOR
EASY MONITOR



AUTO SHUT OFF
& READY BELL



ACCESSORIES FOR
MULTI-COOKING



ROTISSERIE



CONVECTION



CRUMB TRAY

Safety & Standards



180 Quality Tests



MS Special
Coating



Cool Touch
Handle



ISO 9001:2008 Certified Factory

FOTG 60L

60 Litres Capacity
Rotisserie Function
Convection Function
2200 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
4 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 45L

45 Litres Capacity
Rotisserie Function
Convection Function
2000 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
6 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating /
Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 34L

34 Litres Capacity
Rotisserie Function
Convection Function
1600 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
6 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 24L

24 Litres Capacity
Rotisserie Function
Convection Function
1600 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
6 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 9L

9 Litres Capacity
1000 Watts
30 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
SS Heating Element
With Indicator Light
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



Juice | Smoothies | Nut Milk | Sorbet | Salad Maker



High Performance
DC Motor



BPA Free Plastic



< 45db



Upto 95%
Efficiency



28Nm Torque
Gear Box

JUICE EVERY THING



Comes with Salad Maker Attachments



FSJ 200 BK-M

- 80mm big feeder
- LCD display, digital control.
- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% high juice rate
- Safety protection system
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 200W
- Materials: ABS, food grade PC, 304 stainless steel, copper
- Salad making



FSJ 150 R

- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% high juice rate
- Special patent
- Safety protection system
- Low noise, Lower vibration
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 150W
- Materials: ABS, food grade PC, 304 stainless steel, copper



Salad Maker



FABER Slow Juicer



FRUITS (Hard & Soft)
Apple, Grape, Orange, Pomegranate,
SweetLime, Grapefruit, Pineapple,
Watermelon, Mango, Dragonfruit,
Peach, Pear, etc



LEAFY GREENS
Wheatgrass, Celery, Parsley, Spinach, Kale,
etc. Add Apple / Pineapple / Orange to Leafy
Greens for delicious Healthy Juice.

OTHER Centrifugal juicer



VEGETABLES
Carrot, Beetroot, Cucumber,
Tomato, Bottle-guard,
Amla, Bitter-guard, etc



NUT MILK
Almond, Cashew, Soy, etc.
Prepare Delicious & Healthy Vegan Nut Milk

85%

**REDUCED OIL
USAGE**



FAF 4.5MSBK

- Capacity: 4L (drawer) / 4.5 (basket)
- 220-240v 50/60Hz 1500W
- Plastic body with metal painting decoration
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- 30/60 min timer automatically shut off for precise cooking
- LED display, touch panel
- Power cord storage
- Operation light indicator
- With few drops of oil or no oil during frying process, healthy lifestyle
- Can fry MAX 1500g frozen fries. (basket)



FAF 3.0 L BK

- Capacity: 2.7L (basket) / 3.0L (drawer)
- 220-240v 50/60Hz 1300W
- Plastic Body
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- Power cord storage
- Operation light indicator
- Non-slip feet
- With few drops of oil or no oil during frying process, healthy lifestyle



FAF 2.0 BK

- Capacity: 2.5L (basket) / 2L (drawer)
- 220-240v 50/60Hz 1300W
- Plastic Body
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- Power cord storage
- Operation light indicator
- Non-slip feet
- With few drops of oil or no oil during frying process, healthy lifestyle




FEATURES & CONVIENCE



4.5 Litres



80 - 200° C



Cool Touch
Handle



FAQA Certified



ISO 9001:2008 Certified Factory



180 Quality Tests



Swirl Cooking



Non Stick
Slide Pan Out



1500 W Max
Input



AUTO SHUT OFF



PFOA FREE



BPA FREE



DISWASHER SAFE PAN



Digital



FRY



ROAST



BAKE



GRILL

POPOP TOASTERS



FT 950W DLX BK

Capacity: 2-short slice
220-240V 50-60Hz 950W
Electronic control
With reheat/defrost/cancel setting and have red indicator
Adjustable browning control/7 setting
With anti-jam function



Features:



2 Bread Slice Slot
120cm x 120cm



Cool Touch
Body



950 W Max/900 W
Input



Food Grade
Heating Element



Reheat Function



Defrost Function



Cancel Function



7 Browning Setting

Convenience



Removable Crumb
Tray



Food Grade
Plastic



Auto Pop Up



7 SHADE SETTINGS

The difference in baking time depends on the moisture content of each item being baked.

1 7
90s 120s 140s 160s 190s 230s

SANDWITCH GRILL TOASTERS



Thermostatically
controlled Auto Cut off



BPA free
plastic



Non Stick
Coating



Cool Touch
Housing

FSTG 750 BK

SANDWICH MAKER
Cool touch housing
2-slice sandwich maker grill
Non-stick coating plate for easy cleaning
Antiskid feet
Cord storage
Thermostatically controlled lamp
Power & ready lights



750 W Max
Input



High Performance
Heating Element



ELECTRIC WATER KETTLE



ELECTRIC WATER KETTLE

KETTLE SS

Capacity: 1.8L, 1.5L, 1.2L
220-240V 50Hz 1500W
Auto Switch off
Hinged and locking lid
Detachable jug kettle with 360 power base
Cool touch Handle
Dry Heat Protection
Over Heat Protection
Auto Switch Off when water is boiled
Stainless steel body with pre attached Filter



KETTLE 1.7L

Capacity: 1.7L
220-240V 50/60Hz, 2200W
Plastic kettle with a detachable non-slip base
Safety lock lid
With steam and anti-dry
Overheating the power-off function of triple protection
Stainless steel heat element heating
On/off switch and light indicator
Transparent water gauge show the water level
With detachable filter for convenient cleaning



Features:



ON/OFF Switch with
light indicator



Removable filter



360 degree base



Dry heating
protection



1.7 Litres



Water level indicator



Cool Touch Body



Hidden SS 304 Element



2200 W Max Input



FAQA Certified



ISO 9001:2008 Certified Factory



180 Quality Tests



BPA FREE



PFOA FREE



FYT 7 BK + SS

Full Black Colored with SS Decoration

Voltage: 220-240V/50Hz/18W

Glass cup capacity: 200ml with 7 glass cups.

Rocker switch with power indicator.



7 JARS FOR
FLAVOURS OF
CHOICE



TOUGHENED
GLASS JARS



CAPACITY TO
MATCH ALL
NEEDS



FMC 1.2 BK

Capacity: 1.2L

220-240V 50-60Hz 700W

SS 304 Container

Multi Cooker



COOL TOUCH
BODY



FOOD GRADE
INTERNAL



1.2 LITRES



YOU AND YOUR FAMILY... NOW SAFER WITH FABER



Available Colour



OXPURE 10

- 10 Litres Capacity
- ABS Material
- 230V 50Hz, AC Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Table Mounted Installation
- 1.45 Kgs Product Weight
- Dimesion (L*W*H): 330*270*320 mm



TAD 1L SS

- 1 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



TAD 2L SS

- 2 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



TAD 5L SS

- 5 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



TAD 2L 3-in-1

- 2 Litre Capacity
- Plastic, HDPE/PET Material
- 1 Meter Without Charger Socket Charging Cable
- Plug & Play Type
- Dual, Table Top or Wall Mounted Installation
- 3-in-1 Dispenser with option of dispensing Liquid, High Viscose Gel and Soap
- Wall Mounting Plastic Stand Unit as Accessories with the product



FDS CARE PRO

- DC 5V / 2Amp Rated Input
- 100 W Rated Power
- 0.5 kg Net weight
- 245 x 200 x 170mm Product Size
- Type-C or USB Input interface
- 0-40°C Working Temperature
- Full UV disinfection of upper and lower double layers
- Removes bacteria & viruses within 3 minutes
- 254 to 260 nm range powerfully germicidal
- Portable & compact design
- Unlike chemical treatments, the process of UV disinfection is environmentally freindly




FDS CARE PLUS-FR

- 220V~, 50Hz Rated Voltage
- 100 W Rated Power
- 0.69 kg Net weight
- Protection from dust
- Removes bacteria & viruses
- Multi functional foldable UV Box
- 310 mm x 60 mm Product size (Unfolding)
- 310 mm x 160 mm Product size (Unfolding)
- 3 in 1 (UV Sterilization + Pasteurization +Cloth dryer
- A cloth dryer (360 degree cycle drying)
- Aroma Therapy (Removes odour)
- 254 to 260 nm range powerfully germicidal
- Portable & compact design
- Unlike chemical treatments, the process of UV disinfection is environmentally freindly



FDS SUV 20 / FDS SUV 30

- 20 Litres / 30 Litres Capacity
- 230V AC 50Hz Rated Input Voltage
- 22 W Operating Power (W)
- 0.5 W Stand by Power (W)
- 2 Nos each of 11 W Germicidal Lamps
- 3 Pin 5A, 1.2 meters Power Cable
- 1 to 12 minutes Timer Setting
- Metallic Powder Coated Material of Body
- Digital Display Type
- 8 Buttons Control Panel
- 254 nm UV-C Light Output
- 0°C - 45°C, 10-85% humidity Operating Temperature
- UV-C protection against opening of door





NOTES



NOTES