



## A VISION OF GLOBAL REACH.

#### A VISION OF GLOBAL REACH.

FABER has a lot in common with air ... both are present all over the world.

Air has always been our chosen material. Now the world is our home. So it's only natural we should want to improve them both. Installing a kitchen hood is an easy'. way to improve the air in your home, of course, but only thanks to Faber. After all, we invented the kitchen hood, and we are making them better every day to provide our customers with the ultimate performance, quality and comfort.

Aspiring to a better world through leadership. Everywhere, every day.

#### **INVESTING IN THE WORLD**

Always growing, to serve more people.

#### THINKING LONG TERM

All-round competence: automation, robotics, IT, total quality.

#### INNOVATING CONTINUOUSLY

Engineering research, advanced solutions, living benefits.

#### **DESIGNING THE FUTURE**

Ergonomics, design, functionality, comfort, style and wellbeing for the home.



#### **HEADQUARTER**

Fabriano (AN) -ITALIA

#### **COMMERCIAL OFFICE**

Hudson -U.S.A. Chambly -FRANCIA Istanbul -TURCHIA Mosca -RUSSIA

Pune -INDIA


#### **PRODUCTION PLANT**

Sassoferrato -ITALIA Manisa -TURCHIA Villedieu-les-Poeles -FRANCIA Byske -SVEZIA Kaluga -RUSSIA Pune -INDIA San Luis -ARGENTINA San Luis Potosi -MESSICO



## FRANKE'S ALR EXPERT

COLLECTION SERIES CHIMNEYS	1
ISLAND CHIMNEYS	4
BOLT CHIMNEYS	6
DIRECT DRIVE CHIMNEYS	8
AEROSTATION CHIMNEYS	10
SIXWAY AUTOCLEAN CHIMNEYS	12
AUTOCLEAN CHIMNEYS	14
3D CHIMNEYS	17
UTOPIA SERIES HOBTOPS	20
ULTIMA SERIES HOBTOPS	22
NEXUS SERIES HOBTOPS	24
IMPERIA SERIES HOBTOPS	26
MAXUS SERIES HOBTOPS	28
HTG/HCT SERIES HOBTOPS	30
GB SERIES HOBS	32
BUILT IN OVENS	34
BUILT IN MICROWAVES	37
COOKING RANGES	38
DISHWASHERS	40
WINE CHILLERS	44
REFRIGERATORS	46
соокторѕ	48
MIXER GRINDERS	52
HAND BLENDERS & JUICER MIXER GRINDERS	54
SLOW JUICERS	56
WATER PURIFIERS	58
OTG	60
TOASTERS & SANDWICH MAKERS	62
ELECTRIC WATER KETTLES	64
AIR FRYERS	66
WET GRINDERS & MULTI COOKERS	68
WATER GEYSERS	70
HEALTH CARE PRODUCTS RANGES	74













#### HERCULES ISOLA DTC BK 60/90

Description: Hercules Isola DTC BK 60/90

Finish: Black

Controls: Touch Control (Dual) Lighting: 4 x Spot LED with 1.1W Filter: 3 x 3 Layer Baffle Filter

Suction: 1000 m3/hr Width (mm): 600/900





#### **JANUS ISOLA 90**

Description: Jasola Isola SS LTW 90 Black / Stainless Steel Finish: Black+Front Glass + Rear Glass BK Finish: Controls: Dual Touch Control (Front + Rear)

4 x 1. 1W Spot lamp Lighting: 3 Layer Baffle Filter: 1000 m3/hr Suction: Width (mm): 900/1200





#### STILUX ISOLA 90/120

Description: Stilux Isola Plus LTW 90/120

Finish: Stainless Steel Touch Controls:

4 x 1. 1W Spot Lamp Lighting: Filter: 3 x Triple Layer Baffle Filter

Suction: 1000 m3/hr Width (mm): 900/1200







Description: Stilux Isola Plus LTW 90/BK90

Finish: Black Controls: Touch

Lighting: 4 x 1. 1W Spot Lamp 3 x Triple Layer Baffle Filter Filter:

1000 m3/hr Suction: Width (mm): 900







Description: Feel Isola BK TC 90

Black Finish:

Controls: Touch Control (Dual) Lighting: 4 x Spot LED with 1.1W 2 x Triple Layer Baffle Filter Filter:

1000 m3/hr Suction: Width (mm): 900









# INTRODUCING THE NEXT GENERATION OF AUTOCLEAN CHIMNEYS WITH 360 DEGREE STEAM DRIVE TECHNOLOGY





#### **BOLT 60/90**

Description: Bolt FL SW SC BK 60/90 Finish: Black Tempered Glass

Controls: Gesture & Touch 2 Speed + 1 Turbo

Lighting: 2 x 1.5W LED Lamp Filter: Filterless Suction: 1500 m3/hr Width (mm): 600/900 Blower: Metal Blower Oil Collector: Stainless Steel





#### **THUNDER BOLT 90**

Description: Thunder Bolt FL SW SC BK 90

Finish: Black Finish Function: Steam Clean

Controls: Gesture & Touch 2 Speed + 1 Turbo

Lighting: 2 x 1.5W LED Lamp Filter: Filterless Suction: 1500 m3/hr Width (mm): 900

Blower: Metal Blower
Oil Collector: Stainless Steel







Faber presents the all new, all-powerful **Bolt Chimney** with never seen before **Steam Drive 360 Degree technology** that cleans the oil and other residues with just one touch.

Get ready for more performance with less maintenance.

#### **EXPERIENCE ABSOLUTE POWER OF STEAM CLEANING**

OTHER FEATURES



### Filterless Technology

No cleaning hassles and zero cost maintenance.



#### **Powerful Motor**

Enables higher suction power, ensuring high performance and efficiency.



# DIRECT DRIVE CHIMNEY

BRUSHLESS DC MOTOR GENERATES LESS HEAT. HAS A LONGER LIFE AND PERFORMANCE





#### **AURA DIRECT DRIVE BF SC AC BK 60/90**

Finish: Black Glass
Function: Auto Clean
Lighting: 2 x 1.5W LED Lamp
Motor: 150 Watt BLDC Motor
Filter: 2 Baffle Filter
Suction: 1200/1300 m3/hr
Controls: Touch + Gesture

Speed: 9-speed touch switch with motion sensor

Width (mm): 600/900 Oil Collector: Stainless Steel







#### STORM DIRECT DRIVE FL SC AC BK 60/90

Finish: Black Glass
Function: Auto Clean
Lighting: 2 x 1.5W LED Lamp
Motor: 150 Watt BLDC Motor
Filter: Filterless
Suction: 1500 m3/hr

Suction: 1500 m3/nr
Controls: Touch + Gesture
Speed: 9-speed touch swi

eed: 9-speed touch switch with Rpm display &

motion sensor


Width (mm): 600/900 Oil Collector: Stainless Steel











form the air.

#### 2. CARBON FILTER:


Carbon filter to trap the Odors, Gases and neutralizes them.

#### 3. HEPA FILTER:

1 Micron filter HEPA traps harmful particles such as Dust, Smoke, Pollen, etc., and gives efficiency upto 95%



#### Faber launches World's only Aerostation chimney with 3D Technology



With growing air pollution & increases in the risk of health hazards, it is important to use something which keeps you and your loved one healthy & your's kitchen pollution free.

This hood comes in exciting new finishes including Alligator Black, Antique Silver & Antique Copper and also has 3 stage air purification system.

Faber introduces the world's only Aerosation Chimney with 3D Technology which offers the functionality of 3 appliances in 1. This appliance combines the functionality of a 3D chimney, a fan and an air purifier.

#### **GLAMOUR PRO 3D BK FT 60/90**

Description: 3N1 Aerostation Glamour Pro 3D BK FT 60/90

Finish: Black 3 + Intensive Speed:

Feather Touch With Backlit Controls: 2 x 1.5W LED Lamp Liahtina: Filter: Triple Layer Baffle Suction: 1095 m3/hr Width (mm): 600/900

FAN: Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed

PURIFIER: Nylon Filter: Remove particles such as dust and dirt from the air. Carbon Filter: Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter:

Removes Dust, Smoke particles up to size of 1 Micron.

#### STAR PRO 3D TC AB 60/90

Description: 3N1 Aerostation Star Pro 3D TC AB 60/90

Finish: **Alligator Black** 3 + Intensive Speed: **Touch With Backlit** Controls: Lighting: 2 x 1.5W LED Lamp Triple Layer Baffle Filter: 1095 m3/hr Suction: Width (mm): 600/900

FAN: Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed **PURIFIER:** Nylon Filter: Remove particles such as dust and dirt from the air. Carbon Filter: Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter:

Removes Dust, Smoke particles up to size of 1 Micron.









Description: 3N1 Aerostation Sparkle Pro 3D AB TC 60/90

**Alligator Black** Finish: 3 + Intensive Speed: Controls: **Touch With Backlit** Lighting: 2 x 1.5W LED Lamp Filter: Triple Layer Baffle Suction: 1095 m3/hr Width (mm): 600/900

FAN: Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed PURIFIER: Nylon Filter: Remove particles such as dust and dirt from the air.

Carbon Filter: Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter: Removes Dust, Smoke particles up to size of 1 Micron.









Alligator Black Finish: 3 + Intensive Speed: Controls: **Push With Backlit** Lighting: 2 x 1.5W LED Lamp Filter: Triple Layer Baffle Suction: 1095 m3/hr

Width (mm): 600/900

FAN: Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed PURIFIER: Nylon Filter: Remove particles such as dust and dirt from the air. Carbon Filter: Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter: Removes Dust, Smoke particles up to size of 1 Micron.





## SIX WAY CHIMNEY SIX KA FIX.

KITCHEN SMOKE KA SIX WAY SOLUTION

Baffle Filter | Powerful Motor | Heat Autoclean





#### PREMIA 3D PLUS IND 60/90

Description: Premia 3D Plus IND HC SC BK 60/90

Premia 3D Plus IND HC SC FL EBK 60/90

Finish: Black

Functions: Auto Clean, 6 Way Suction, Filterless

Controls: Gesture & 3 Speed Touch
Lighting: 2 x 1.5W LED Lamp
Filter: 2 x 2 Layer Baffle Filter
Suction: 1298, 1325 m3/hr

Width (mm): 600/900 Oil Collector: Stainless Steel



assummannaman)

#### CREST 3D PLUS IND 60/90

Description: Crest 3D Plus IND HC SC BK 60/90/SS/60

Finish: Black

**Functions:** 

Auto Clean, 6 Way Suction, Filterless

Controls: Gesture & 3 Speed Touch Lighting: 2 x 1.5W LED Lamp

Filter: Filterless
Suction: 1275 m3/hr

Width (mm): 600/900 Oil Collector: Stainless Steel





#### HOOD EVEREST SMART 3D IND 60/90

Description: Hood Everest Smart 3D IND HC SC FL BK 60/90

Finish: Stainless Steel / Black
Functions: Heat Autoclean
Controls: Gesture + Touch
Lighting: 2 x LED of 1.5W each
Filter: Filterless
Suction: 1250 m3/hr
Width (mm): 600

Blower: Metal Blower
Oil Collector: Stainless Steel





#### SILENCIO 3D IND 60/90

Description: Hood Silencio 3D IND HC SC FL BK 60/90

Hood Silencio 3D IND HC SC BF BK 60/90

Finish: Black
Functions: Heat Autoclean
Controls: Gesture + Touch
Lighting: 2 x 1.5W LED Lamp

Filter: 2 x 2 Layer Baffle Filter Suction: 1325/1298 m3/hr Width (mm): 600/900 Oil Collector: Stainless Steel





13





#### **AUTO CLEAN CHIMNEYS**

# NO MORE FILTER CLEANING



Filter Less Hood With Oil Collector Technology



SS Oil Collector



Non Stick Rotor



High Suction Power



Touch Control



Auto Glass Up-down function with Anti - Squeeze Feature



#### **JUPITER PLUS**

Description: Jupiter Plus HC SC BK 60/90

Finish: Black **Function:** Heat Autoclean Controls: Gesture & 3 Speed Touch 2 x 1.5W LED Lamp Lighting: Cone Baffle Filter Filter: Suction: 1500 m3/hr Width (mm): 600/900 **Metal Blower** Blower:

Oil Collector: Stainless Steel



#### **HOOD ALPHA HC PB BK 60/90**

Description: Hood Alpha HC PB BK 60/90

Black Finish: **Function:** Heat Autoclean Controls: **Push Button** 2 x 1.5W LED Lamp Lighting: Filterless Filter: Suction: 1100 m3/hr Width (mm): 600/900 Blower: **Metal Blower** Oil Collector: Stainless Steel







#### **SUNNY**

Description: Sunny HC SC BK 60/75/90

Finish: Black **Function: Heat Autoclean** Controls: Gesture & 3 Speed Touch 2 x 1.5W LED Lamp Lighting: Filter: Filterless Suction: 1200 m3/hr

Width (mm): 600/900 Metal Blower with Metal Housing Blower:

Oil Collector: Stainless Steel







#### **RELISH PLUS HC BK TC 76**

Description: Relish Plus HC BK TC 76

Finish: Black

**Function:** Electro Thermal Autoclean

Controls: Touch

2 x 1.5W LED Lamp Lighting: Filter: **Filterless** 1150 m3/hr Suction: Width (mm): 760 Blower: Metal Oil Collector: Stainless Steel







Description: Vertex Plus FL TC HC BK 60/90 Finish: **Black Tempered Glass Function:** Heat Autoclean Controls: Gesture & 3 Speed Touch Lighting: 2 x 1.5W LED Lamp Filter: **Filterless** 1200/1500 m3/hr Suction: Width (mm): 600/900

Metal Blower Blower: Oil Collector: Stainless Steel





#### ZENITH

Description: Zenith FL SC AC BK 60/75/90 Finish: **Black Tempered Glass Function:** Heat Autoclean Controls: Gesture & 3 Speed Touch 2 x 1.5W LED Lamp Lighting: Filter: **Filterless** Suction: 1350 m3/hr Width (mm): 600/750/900 Blower: Metal Blower

Oil Collector: Stainless Steel









Description: Hood Crest Plus IND HC SC BK 60/90 Finish: Stainless Steel Frame + Black Curved Glass

Gesture & 3 Speed Touch Controls: Lighting: 2 x LED of 1.5W each Filter: **Filterless** 1225 m<sup>3</sup>/hr Suction: Width (mm): 600/900







#### **APEX**

Apex FL HC SC BK 60/90 Description: Finish: **Black Tempered Glass Function:** Heat Autoclean Controls: Gesture & 3 Speed Touch Lighting: 2 x 1.5W LED Lamp Filter: Filterless Suction: 1500 m3/hr Width (mm): 600/900 Blower: Metal Blower

Oil Collector: Stainless Steel











#### **BLISS**

Description: Hood Bliss FL SC AC BK 60/90
Finish: Black Tempered Glass
Function: Heat Autoclean
Controls: Gesture & 3 Speed Touch
Lighting: 2 x 1.5W LED Lamp
Filter: Filterless

Filter: Filterless
Suction: 1350 m3/hr
Width (mm): 600/900
Blower: Metal Blower

Oil Collector: Stainless Steel





#### **HOOD JARVIS**

Description: Jarvis HC SC BK TC 60

Finish: Front Designer Glas + Black Powder Coated

Function: Heat Autoclean
Controls: Gesture + Touch
Lighting: 2 x LED of 1.5W each
Filter: 2 x 2 Layer Baffle Filter

Suction: 1200 m3/hr Width (mm): 600

Blower: Metal Blower
Oil Collector: Stainless Steel





Wan mill

WARREN BERGAR



Description: Hood Martinez HC TC BK 90

Finish: Black Glass
Function: Heat Autoclean
Controls: Touch Control
Lighting: 2 x 1.5W LED Lamp
Filter: Filterless
Suction: 1200 m3/hr

Width (mm): 900 Blower: Metal Blower Oil Collector: Stainless Steel





#### MIAMI

Description: Hood Miami FL SC AC BK 60/90

Finish: Stainless Steel Frame + Black Curved Glass

Controls: Gesture & 3 Speed Touch Lighting: 2 x LED of 1.5W each

Filter: Filterless
Suction: 1200 m³/hr
Width (mm): 600/900
Blower: Metal Blower

Blower: Metal Blower
Oil Collector: Stainless Steel





#### **HOOD ZEST**

Description: Hood Zest HC SC FL BK 60/90

Finish: Black
Function: Heat Autoclean
Controls: Gesture & 3 Speed Touch
Lighting: 2 x 1.5W LED Lamp
Filter: Filterless

Suction: 1100 m3/hr Width (mm): 600/900 Blower: Metal Blower Oil Collector: Stainless Steel





#### **ACE PRO**

Description: Ace Pro HC PB BK 60/90

Finish: Black
Function: Heat Autoclean
Controls: Push Button
Lighting: 2 x 1.5W LED Lamp
Filter: Filterless

Filter: Filterless
Suction: 1100 m3/hr
Width (mm): 600/900
Blower: Metal Blower
Oil Collector: Stainless Steel











#### STILUX 3D

Description: Stilux 3D Plus T2S2 TC Sen Max LTW 90/60

Stilux 3D T2S2 BK TC LTW 60/90/120 Stilux 3D T2S2 TC LTW 60/90

Finish: Stainless Steel / Black / Black Mirror

Controls: Touch 2 x 1.1W LED Lamp Lighting: 3 Laver Baffle Filter Filter: Suction: 3D Plus Max: 1350 m3/hr.

3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.

Width (mm): 600/900/1200a







#### STILO 3D

Description: Stilo 3D Plus T2S2 Max LTW 60/90

Stilo Slim 3D Plus T2S2 BK LTW 60/90 Stilo Slim 3D Plus T2S2 LTW 60/90

Finish: Stainless Steel / Black Controls: **Push Buttons** Lighting: 2 x 1.1W LED Lamp Filter: 3 Layer Baffle

3D Plus Max: 1350 m3/hr. Suction:

3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.

Width (mm): 600/900





#### FEEL 3D

Finish:

Description: Feel 3D Plus T2S2 TC Sen Max LTW 60/90

Feel 3D T2S2 BK TC LTW 60/90 Feel 3D T2S2 PB LTW 60/90 Black with Curve Glass Touch / Push Buttons Control

Controls: 2 x 1.1W LED Lamp Lighting: Filter: 3 Layer Baffle

Suction: 3D Plus Max: 1350 m3/hr.

3D: 1095 m3/hr

Width (mm): 600/900







#### ARCO 3D

Description: Arco 3D T2S2 Max LTW 60/90

Arco 3D Plus T2S2 BK LTW 60/90 Arco 3D Plus T2S2 LTW 60/90

Black with Bend Glass Finish: Controls: **Push Buttons** Lighting: 2 x 1.1W LED Lamp Filter: 3 Layer Baffle

Suction: 3D Plus Max: 1350 m3/hr.

3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.

Width (mm): 600/900







#### **SUPER 3D**

Description: Super 3D Plus Max T2S2 BK TC 60/90

Super 3D Plus T2S2 BK TC LTW 60/90

Finish: Black with Flat Glass

Controls: Touch

Lighting: 2 x 1.1W LED Lamp 3 Layer Baffle Filter:

Suction: 3D Plus Max: 1350 m3/hr,

3D Plus: 1150 m3/hr

Width (mm): 600/900







#### COCKTAIL 3D

Description: Cocktail 3D T2S2 BK TC LTW 60/90

Black Mirror Finish: Controls: Touch 2 x 1.1W LED Lamp Lighting: Filter: Cassette

1095 m3/hr Suction: Width (mm): 600/900







#### **TOPAZ SMART\* 3D**

Description: Topaz Smart 3D T2S2 BK TC LTW 60/90

**Black Conical** Finish: Controls: **Touch Control** Lighting: 2 x 1.1W LED Lamp 3 Layer Baffle Filter: Suction: 1095 m3/hr Width (mm): 600/900





#### TENDER 3D

Finish:

Description: Tender 3D T2S2 Max LTW 60/90/ BK 60/90

Tender 3D T2S2 LTW 60/90 Tender 3D T2S2 BK LTW 60/90 Stainless Steel Conical / Black

**Push Buttons** Controls: Lighting: 2 x 2W CFL Lamp Filter: 3 Layer Baffle Suction: 3D Max: 1295 m3/hr,

3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.

Width (mm): 600/900







#### **TRATTO 3D**

Description: Tratto 3D T2S2 LTW 60/90 Black with Black Mirror Finish: Controls: **Touch Control** 2 x 1.1W LED Lamp Lighting: 3 x 2 Layer Baffle Filter: 1095 m3/hr Suction: Width (mm): 600/900







#### **GLASSY 3D**

Suction:

Description: Glassy 3D T2S2 Max LTW 60/90

Glassy 3D T2S2 LTW 60/75/90 Glassy 3D T2S2 BK LTW 60/90

Stainless Steel / Black Glass Finish: **Push Button Control** Controls: Lighting: 2 x 1.1W LED Lamp 3 Layer Baffle Filter:

> 3D Plus Max: 1350 m3/hr, 3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.

Width (mm): 600/750/900













#### **PRETTY PLUS PRO**

Description: Pretty Plus Pro BK LTW 60 Black Powder Coated Finish: Controls: **Push Button** 2 x 1.1W LED Lamp Lighting:

Filter: Baffle 1000 m3/hr Suction: Width (mm): 600





#### MARTINI

Description: Martini TC BK LTW 60 Black Mirror Finish: Controls: Touch

2 x 1.1W LED Lamp Lighting:

Filter: Baffle 1000 m3/hr Suction: Width (mm): 900







#### **CLASS PRO**

Description: Class Pro LTW 60

Finish: Black Push Button Controls:

Lighting: 2 x 2W LED Filament Lamp

Baffle Filter: 1000 m3/hr Suction: Width (mm): 600





#### **GLASSY**

Description: Glassy SS LTW 60 Finish: Stainless Steel and Glass

Controls: **Push Button** 2 x 1W LED Lamp Lighting: Baffle Filter: Suction: 800 m3/hr Width (mm): 600







#### **RUBY XL TC**

Description: Ruby XL TC SS 60 Finish: Stainless Steel

Controls: Touch Lighting: LED Lamp 1 x 2W Filter: Baffle

Suction: 700 m3/hr Width (mm): 600







#### **RUBY XL PB**

Description: Ruby XL PB SS 60 Finish: Stainless Steel Controls: **Push Button** Lighting: LED Lamp 1 x 2W Filter: Baffle

Suction: 700 m3/hr Width (mm): 600





#### **RUBY XL TC**

Description: Ruby XL TC BK 60

Finish: Black Controls: Touch LED Lamp 1 x 2W Lighting:

Baffle Filter: Suction: 700 m3/hr Width (mm): 600









# INTRODUCING THE UTOPIA RANGE



## **LOOKS GREAT, COOKS BETTER!**



#### **Dual Flame Burners**

- High Performance 4 KW Burner with Dual Functionality
- Lower Single Flame of 1.7 KW provides versatility in product usage

Auto Burner Shut off for Superior Safety

Cast Iron
Pan Support

Auto Ignition Special Grid Design for Higher Burner Efficiency



#### UTOPIA HT 905 BR CI

Width (mm): 90 cm

Finish: 8mm Black Tempered Glass

Pan Support: Cast Iron

Burners: 1 x 4Kw Triple Ring Dual Flame

+ 2 x 3Kw Mini Triple Ring + 2 x 1.7 Kw Double Ring

with Black Enamel Coating

Knob: Premium Metal Knobs with Golden Insets
Ignition: In-Built Auto Ignition with AC 230V Power Supply

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 900 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 825 x 475 x WxD (mm)









### Golden Insets

#### UTOPIA HT 804 BR CI

Width (mm): 80 cm

Finish: 8mm Black Tempered Glass

Pan Support: Cast Iron

Burners: 1x 4Kw Triple Ring Dual Flame

+ 1 x 3Kw Mini Triple Ring + 2 x 1.7 Kw Double Ring

with Black Enamel Coating

Knob: Premium Metal Knobs with Golden Insets
Ignition: In-Built Auto Ignition with AC 230V Power Supply

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 800 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 685 x 475 WxD (mm)









#### UTOPIA HT 903 BR CI

Width (mm): 90 cm

Finish: 8mm Black Tempered Glass

Pan Support: Cast Iron

Burners: 1 x 4Kw Triple Ring Dual Flame

+1 x 3Kw Mini Triple Ring +1 x 1.7 Kw Double Ring

with Black Enamel Coating

Knob: Premium Metal Knobs with Golden Insets
Ignition: In-Built Auto Ignition with AC 230V Power Supply

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 900 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 825 x 475 x WxD (mm)









#### UTOPIA HT 783 BR CI

Width (mm): 78 cm

Finish: 8mm Black Tempered Glass

Pan Support: Cast Iron

Burners: 1 x 4Kw Triple Ring Dual Flame

+ 1 x 3Kw Mini Triple Ring + 1 x 1.7 Kw Double Ring

with Black Enamel Coating

Knob: Premium Metal Knobs with Golden Insets
Ignition: In-Built Auto Ignition with AC 230V Power Supply

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 780 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 685 x 475 WXD (mm)









#### UTOPIA HT 604 BR CI

Width (mm): 60 cm

Finish: 8mm Black Tempered Glass

Pan Support: Cast Iron

Burners: 1 x 4Kw Triple Ring Dual Flame

+ 1 x 3Kw Mini Triple Ring + 2 x 1.7 Kw Double Ring

with Black Enamel Coating

Knob: Premium Metal Knobs with Golden Insets
Ignition: In-Built Auto Ignition with AC 230V Power Supply

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 600 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 555 x 475 x WxD (mm)









#### UTOPIA HT 603 BR CI

Width (mm): 60 cm

Finish: 8mm Black Tempered Glass

Pan Support: Cast Iron

Burners: 1 x 4Kw Triple Ring Dual Flame

+ 1 x 3Kw Mini Triple Ring + 1 x 1.7 Kw Double Ring

with Black Enamel Coating

Knob: Premium Metal Knobs with Golden Insets
Ignition: In-Built Auto Ignition with AC 230V Power Supply

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 600 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 555 x 475 WxD (mm)











## INTRODUCING

### **ULTIMA RANGE**

## INDIA'S ONLY HOB COOKTOP WITH TRIPLE RING FLAME IN ALL BURNERS



### **ULTIMATE BURNER PERFORMANCE**





#### **DIRECT FLAME TECHNOLOGY**

- High Performance 3KW and 2.0 KW Burner combination
- Black Enameled Burners for superior Aesthetic looks

Flame Failure Device

**Evenly** Cooking

**Auto Ignition** 

**Cast Iron Pan Supports** 



#### ULTIMA PLUS HT904 CRS BR CI AI

Width (mm): 90 cm

Ignition: In-Built Auto Ignition

Pan Support: Cast Iron

**Burners:** 2 x 3Kw Triple Ring Flame +

2 x 2Kw Triple Ring with Black Enamel Coating

Premium Metal Knobs Knob:

In-Built Auto Electric with 1.5V DC Battery lanition:

Safety Device: FFD (Flame Failure Device) Product Dimensions: 900\* 525\* 145 WxDxH (mm) Carcass Dimensions: 825\* 475 WxD (mm)









#### ULTIMA HT 904 CRS BR CI AI

Width (mm): 90 cm

Ignition: In-Built Auto Ignition

Pan Support: Cast Iron

**Burners**: 2 x 3Kw Triple Ring Flame +

2 x 2Kw Triple Ring with Black Enamel Coating

**Premium Metal Knobs** Knob:

In-Built Auto Electric with 1.5V DC Battery Ignition: Product Dimensions: 900\* 525\* 145 WxDxH (mm) Carcass Dimensions: 825 \* 475 WxD (mm)







#### ULTIMA PLUS HT783 CRS BR CI AI

Width (mm): 80 cm

In-Built Auto Ignition Ignition:

Pan Support: Cast Iron

2 x 3Kw Triple Ring Flame + **Burners:** 

1 x 2Kw Triple Ring with Black Enamel Coating

Premium Metal Knobs Knob:

Ignition: In-Built Auto Electric with 1.5V DC Battery

Safety Device: FFD (Flame Failure Device) Product Dimensions: 800 x 525 x 130 WxDxH (mm) Carcass Dimensions: 685 x 475 WxD (mm)











#### ULTIMA HT724 CRS BR CI AI

Width (mm): 72 cm

In-Built Auto Ignition Ignition:

Pan Support: Cast Iron

2 x 3Kw Triple Ring Flame + **Burners:** 

2 x 2Kw Triple Ring with Black Enamel Coating

Knob: Premium Metal Knobs

In-Built Auto Electric with 1.5V DC Battery Ignition: Product Dimensions: 720\* 525\* 145 WxDxH (mm) Carcass Dimensions: 675 x 475 WxD (mm)







#### ULTIMA HT723 CRS BR CI AI

Width (mm): 72 cm

In-Built Auto Ignition Ignition:

Pan Support: Cast Iron

**Burners:** 1 x 3Kw Triple Ring Flame +

2 x 2Kw Triple Ring with Black Enamel Coating

Premium Metal Knobs Knob:

In-Built Auto Electric with 1.5V DC Battery Product Dimensions: 720\* 525\* 145 WxDxH (mm) Carcass Dimensions: 675 x 475 WxD (mm)









#### **3D FLAME TECHNOLOGY**

- High Performance 3KW Triple Ring Burner
- Faster and evenly cooking

Flame Failure | Full Brass | Burner

Cast Iron
Pan Support

Auto Ignition Special Grid Design for Higher Burner Efficiency



#### NEXUS IND HT 905 CRS BR CI AI

Width (mm): 90 cm

Finish: **Black Tempered Glass** 

Pan Support: Cast Iron Premium Metallic Knob:

**Burners**: 3 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double

Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Ignition: Product Dimensions: 900 x 525 x 130 WxDxH (mm) Carcass Dimensions: 825 x 475 WxD (mm)







#### **NEXUS IND HT 904 CRS BR CI AI**

Width (mm): 90 cm

Finish: Black Tempered Glass

Pan Support: Cast Iron Premium Metallic Knoh:

**Burners**: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double

Ring Brass Burner with Black Enamel Coating

Ignition: In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 900 x 525 x 130 WxDxH (mm) Carcass Dimensions: 825 x 475 WxD (mm)







#### NEXUS STAR IND HT 783 CRS BR CI AI

Width (mm):

**Black Tempered Glass** Finish:

Pan Support: Cast Iron Knob: Premium Metallic

**Burners**: 1 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double

Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Ignition:

Safety Device: FFD (Flame Failure Device) Product Dimensions: 780 x 525 x 130 WxDxH (mm) Carcass Dimensions: 705 x 475 WxD (mm)











#### **NEXUS IND HT 784 CRS BR CI AI**

Width (mm): 78 cm

Finish: **Black Tempered Glass** 

Pan Support: Cast Iron Knob: Premium Metallic

**Burners:** 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double

Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery lanition: Product Dimensions: 780 x 525 x 130 WxDxH (mm) Carcass Dimensions: 685 x 475 WxD (mm)









#### NEXUS IND HT 604 CRS BR CI AI

Width (mm): 60 cm

Finish: **Black Tempered Glass** 

Pan Support: Cast Iron Premium Metallic Knoh:

Rurners 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double

Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 600 x 525 x 130 WxDxH (mm) Carcass Dimensions: 555 x 475 WxD (mm)







#### NEXUS STAR IND HT 904 CRS BR CI AI

Width (mm): 90 cm

Finish: Black Tempered Glass

Pan Support: Cast Iron Premium Metallic Knob:

**Burners**: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double

Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery

Safety Device: FFD (Flame Failure Device) Product Dimensions: 900 x 525 x 130 WxDxH (mm) Carcass Dimensions: 825 x 475 WxD (mm)









#### NEXUS IND HT 803 CRS BR CI AI

Width (mm): 80 cm

Finish: Black Tempered Glass

Pan Support: Cast Iron Knob: Premium Metallic

Burners: 2 x 3Kw Triple Ring + 1 x 1.7Kw Lotus Double

Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Safety Device: FFD (Flame Failure Device)

Product Dimensions: 800 x 380 x 145 WxDxH (mm) Carcass Dimensions: 705 x 325 WxD (mm)







#### NEXUS IND HT 783 CRS BR CI AI

Width (mm): 78 cm

Finish: Black Tempered Glass

Pan Support: Cast Iron Premium Metallic Knob:

**Burners**: 1 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double

Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 780 x 525 x 130 WxHxD (mm) Carcass Dimensions: 705 x 475 W(mm)







#### **NEXUS STAR IND HT 654 CRS BR CI AI**

Width (mm): 60 cm

Finish: **Black Tempered Glass** Pan Support: Cast Iron Knob: Premium Metallic

2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Burners: Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery lanition:

Safety Device: FFD (Flame Failure Device) Product Dimensions: 650 x 525 x 130 WxDxH (mm) Carcass Dimensions: 595 x 470 WxD (mm)









#### NEXUS HT 603 CRS BR CLAI

Carcass Dimensions: 555 x 475 WxD (mm)

Width (mm): 60 cm

Finish: Premium Metallic Pan Support: Cast Iron Knob: Black Metal

1 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Burners: Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 600 x 525 x 130 WxDxH (mm)









## INTRODUCING

## **IMPERIA HOB COOKTOP HYBRIDS**

Safety:

FFD: Flame Failure Device is a safety feature which automatically cuts off the gas supply if the flame goes out stopping any gas flow.







#### **TRIPLE & DUAL RING BURNER**

- High Performance 3KW and 1.7 KW Burner combination
- Black Enameled Burners for superior Aesthetic looks

**Device** 

Flame Failure | Premium Metal Knobs | with Black Insets

**Auto** 

**Heavy Duty Cast** Ignition | Iron Pan Supports



#### IMPERIA 905 BRB CI BK

Width (mm): 90 cm

**Black Tempered Glass** Finish:

Pan Support: Cast Iron

Premium Metallic with Black Insets Knob:

3 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring **Burners:** 

with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Ignition: Product Dimensions: 900 x 525 x 130 WxDxH (mm) Carcass Dimensions: 825 x 475 WxD (mm)







#### IMPERIA PLUS 784 BRB CI BK

Width (mm): 78 cm

Finish: **Black Tempered Glass** Pan Support: Cast Iron

Premium Metallic with Black Insets Knob:

Safety Device: FFD (Flame Failure Device) 2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring **Burners:** 

with Black Enamel Coating

In-Built Auto Ignition with AC 230V Power Supply Ignition:

Product Dimensions: 780 x 525 x 130 WxDxH (mm) Carcass Dimensions: 685 x 475 WxD (mm)









#### IMPERIA 784 BRB CI BK

Width (mm): 78 cm

Finish: **Black Tempered Glass** 

Pan Support: Cast Iron

Premium Metallic with Black Insets Knob:

2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring **Burners:** 

with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery

Product Dimensions: 780 x 525 x 130 WxDxH (mm) Carcass Dimensions: 685 x 475 WxD (mm)







#### IMPERIA PLUS 783 BRB CI BK

Width (mm): 78 cm

Finish: **Black Tempered Glass** 

Pan Support: Cast Iron

Knob: Premium Metallic with Black Insets Safety Device: FFD (Flame Failure Device)

 $1\,x$  3Kw Triple Ring Flame +  $2\,x$  1.7Kw Double Ring Burners:

with Black Enamel Coating

In-Built Auto Ignition with AC 230V Power Supply lanition:

Product Dimensions: 780 x 525 x 130 WxDxH (mm) Carcass Dimensions: 685 x 475 WxD (mm)









#### IMPERIA 783 BRB CI BK

Width (mm): 78 cm

Finish: **Black Tempered Glass** 

Pan Support: Cast Iron

Premium Metallic with Black Insets Knoh:

1 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring **Burners:** 

with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery

Product Dimensions: 780 x 525 x 130 WxDxH (mm) Carcass Dimensions: 685 x 475 WxD (mm)









#### IMPERIA PLUS 604 BRB CI BK

Width (mm): 60 cm

Finish: **Black Tempered Glass** 

Pan Support: Cast Iron

Premium Metallic with Black Insets Knob: Safety Device: FFD (Flame Failure Device)

2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring **Burners:** 

with Black Enamel Coating

In-Built Auto Ignition with AC 230V Power Supply lanition:

Product Dimensions: 600 x 525 x 130 WxDxH (mm) Carcass Dimensions: 685 x 475 WxD (mm)









#### IMPERIA 604 BRB CI BK

Width (mm) 60 cm

**Black Tempered Glass** Finish:

Pan Support: Cast Iron

Premium Metallic with Black Insets Knoh:

2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring Burners:

with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 600 x 525 x 130 WxDxH (mm)

Carcass Dimensions: 555 x 475 WxD (mm)







#### IMPERIA 603 BRB CI BK

Width (mm): 60 cm

Finish: Black Tempered Glass

Pan Support: Cast Iron

Premium Metallic with Black Insets Knoh:

Burners: 1 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring

with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 600 x 525 x 130 WxDxH (mm) Carcass Dimensions: 555 x 475 WxD (mm)












## INTRODUCING

## MAXUS HOB COOKING HYBRIDS



#### **MULTI FLAME BURNER**

- High Power 2.5KW Burner
- Lower Flame of 1.5KW provides consumer versatility in product usage

Brass Burner with Black Enamel Coating Cast Iron Pan Support

**Auto Ignition** 

Premium Metal Knobs with Golden Insets



#### **MAXUS HT905 CRS BR CI AI**

Width (mm): 86 cm

Finish: 8 mm Black Tempered Glass

Burners: 3 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating Ignition: In-Built Auto Ignition with 1.5V DC Battery

Pan Support: Cast Iron

Knob: Premium Metallic with Golden Insects
Product Dimensions: 900 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 825 x 475 WxD (mm)







#### MAXUS HT904 CRS BR CI AI

Width (mm): 90 cm

Finish: 8 mm Black Tempered Glass

Burners: 2 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating Ignition: In-Built Auto Ignition with 1.5V DC Battery

Pan Support: Cast Iron

Knob: Premium Metallic with Golden Insects
Product Dimensions: 900 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 825 x 475 WxD (mm)







#### MAXUS HT 803 CRS BR CI AI

Width (mm): 80 cm

Finish: 8 mm Black Tempered Glass

Burners: 2 x 2.5Kw and 1 x 1.5Kw with Black Enamel Coating Ignition: In-Built Auto Ignition with 1.5V DC Battery

Pan Support: Cast Iron

Knob: Premium Metallic with Golden Insects Ignition: In-Built Auto Electric with 1.5V DC Battery Product Dimensions: 800 x 380 x 145 WxDxH (mm) Carcass Dimensions: 705 x 325 WxD (mm)







#### MAXUS HT784 CRS BR CI AI

Width (mm): 78 cm

Finish: 8 mm Black Tempered Glass

Burners: 2 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating Ignition: In-Built Auto Ignition with 1.5V DC Battery

Pan Support: Cast Iron

Knob: Premium Metallic with Golden Insects
Ignition: In-Built Auto Electric with 1.5V DC Battery
Product Dimensions: 780 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 685 x 475 WxD (mm)







#### MAXUS HT783 CRS BR CI AI

Width (mm): 78 cm

Finish: 8 mm Black Tempered Glass

Burners: 1 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating Ignition: In-Built Auto Ignition with 1.5V DC Battery

Pan Support: Cast Iron

Ignition: In-Built Auto Electric with 1.5V DC Battery
Knob: Premium Metallic with Golden Insects
Product Dimensions: 780 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 685 x 475 WxD (mm)







#### MAXUS HT604 CRS BR CI AI

Width (mm): 60 cm

Finish: 8 mm Black Tempered Glass
Burners: 2 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating

Ignition: In-Built Auto Ignition with 1.5V DC Battery

Pan Support: Cast Iron

Knob: Premium Metallic with Golden Insects
Product Dimensions: 600 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 555 x 475 WxD (mm)







#### MAXUS HT 603 CRS BR CI AI

Width (mm): 60 cm

Finish: 8 mm Black Tempered Glass

Burners: 1 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating Ignition: In-Built Auto Ignition with 1.5V DC Battery

Pan Support: Cast Iron

Knob: Premium Metallic with Golden Insects
Product Dimensions: 600 x 525 x 130 WxHxD (mm)
Carcass Dimensions: 555 x 475 WxD (mm)













## INTRODUCING

## HTG/HCT HOB COOKTOP HYBRIDS







#### **TRIPLE & DUAL RING BURNER**

- High Performance Burner
- Lotus Flame

Glass Edge Protector Knob Protector Pan Support Auto Ignition

Special Grid Design for Higher Burner Efficiency



#### HTG 905 CRS BR CI

Width (mm): 90 cm

Finish: 8 mm Black Tempered Glass Pan Support: Knob Protector Enameled Grid

**Premium Bakelite** Knob:

3 x Triple Ring + 2 x Double Ring Brass Burners **Burners:** Ignition: In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 900 x 525 x 130 WxDxH (mm) Carcass Dimensions: 825 x 470 WxD (mm)









#### HTG 754 CRS BR CI

Width (mm): 75 cm

Finish: 8 mm Black Tempered Glass **Knob Protector Enameled Grid** Pan Support:

**Premium Bakelite** Knob:

2 x Triple Ring + 2 x Double Ring Brass Burners **Burners:** Ignition: In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 750 x 525 x 130 WxDxH (mm)

Carcass Dimensions: 670 x 470 WxD (mm)









#### HTG 753 CRS LBK CI

Width (mm): 75 cm

Finish: 8 mm Black Tempered Glass Pan Support: **Knob Protector Enameled Grid** 

Knob: **Premium Bakelite** 

1 Medium + 2 x Double Ring Brass Burners Burners: In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 750 x 525 x 130 WxDxH (mm) Carcass Dimensions: 670 x 470 WxD (mm)









#### HTG 654 CRS BR CI/WH

Width (mm): 65 cm

8 mm Black /White Tempered Glass Finish: Knob Protector Enameled Grid Pan Support:

Knob: **Premium Bakelite** 

2 Triple Ring + 2 x Double Ring Brass Burners Burners: In-Built Auto Ignition with 1.5V DC Battery Ignition: Product Dimensions: 650 x 525 x 130 WxDxH (mm) Carcass Dimensions: 595 x 470 WxD (mm)







#### HTG 653 CRS BR CI/WH

Width (mm): 65 cm

8 mm Black Tempered Glass Finish: Pan Support: Knob Protector Enameled Grid

Knob: **Premium Bakelite** 

1x Triple Ring + 2x Double Ring Brass Burners **Burners:** In-Built Auto Ignition with 1.5V DC Battery lanition: Product Dimensions: 650 x 525 x 130 WxDxH (mm) Carcass Dimensions: 595 x 470 WxD (mm)









#### HCT 754 SR CRS LBK CI

Width (mm): 75 cm

Finish: 8 mm Black Tempered Glass Pan Support: Enameled Grid

**Premium Bakelite** Knob:

2 Medium + 2 x Small Lotus Brass Burner with **Burners:** 

Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 750 x 525 x 130 WxDxH (mm) Carcass Dimensions: 670 x 470 WxD (mm)







#### HCT 753 SR CRS LBK CI

Width (mm): 75 cm

8 mm Black Tempered Glass Finish:

Pan Support: Enameled Grid Knob: **Premium Bakelite** 

2 Medium + 1 x Small Lotus Brass Burner with Burners:

**Black Enamel Coating** 

In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 750 x 525 x 130 WxDxH (mm) Carcass Dimensions: 670 x 470 WxD (mm)









#### Width (mm): 65 cm

Finish: 8 mm Black Tempered Glass Pan Support: **Enameled Grid** 

Knob: **Premium Bakelite** 

HCT 654 CRR LBK CI

2 Medium + 2 x Small Lotus Brass Burner with **Burners:** 

**Black Enamel Coating** 

In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 650 x 525 x 130 WxDxH (mm) Carcass Dimensions: 595 x 470 WxD (mm)







#### HCT 653 CRR LBK EI AI

Width (mm): 65 cm

8 mm Black Tempered Glass Finish:

Pan Support: Enameled Grid **Premium Bakelite** Knob:

Burners: 2 Medium + 1 x Small Lotus Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 650 x 525 x 130 WxDxH (mm) Carcass Dimensions: 595 x 470 WxD (mm)











## **GB SERIES**

MINI TRIPLE RING BURNER MEDIUM RING BURNER IN-BUILT AUTO IGNITION





### GB 724 SR 2MTC AUX

Width (mm): 72 cm

Finish: 8 mm Black Tempered Glass
Burners: 2 Medium Burner + 1 Small Burner +

1 Mini Triple Ring Burner

Ignition: In-Built Auto Ignition with AC 230V Power Supply

Pan Support: Knob Protector Enameled Grid

Knob: Premium Bakelite
Product Dimensions: 720 x 530 LxW(mm)
Carcass Dimensions: 575 x 480 LxW (mm)



### GB 724 2SR + MTC + AUX

Width (mm): 72 cm

Finish: 8 mm Black Tempered Glass
Burners: 1 Medium Burner + 2 Small Burner +

1 Mini Triple Ring Burner

Ignition: In-Built Auto Ignition with AC 230V Power Supply

Pan Support: Enameled Grid Knob: Premium Bakelite

Product Dimensions: 720 x 530 LxW(mm) Carcass Dimensions: 575 x 480 LxW (mm)



### GB 723 SR + 2MTC + AUX

Width (mm): 72 cm

Finish: 8 mm Black Tempered Glass
Burners: 1 Medium Burner + 1 Small Burner +

1 Mini Triple Ring Burner

Ignition: In-Built Auto Ignition with AC 230V Power Supply

Pan Support: Enameled Grid
Knob: Premium Bakelite
Product Dimensions: 720 x 530 LxW(mm)
Carcass Dimensions: 575 x 480 LxW (mm)







### **BUILT-IN OVENS**



Multi Cooking



Conventional Top & Bottom



Fast Heat up





### FBIO 83L 18F TFT BK

- 60 cm 83 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 18 Cooking Functions Electronic Auto Program
- TFT Touch Control Digital Timer
- 3D hot air circulation system Rotisserie
- Anti-Scalding Cold Door Technology
- Oven Size (WxHxD): 594x594x519 mm
- Carcass Size (WxD): 558x587 mm





### **FBIO 83L 15F BK**

- 60 cm 83 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 15 Cooking Functions Electronic Auto Program
- Sensor Touch Control
   Digital Timer
- 3D hot air circulation system Rotisserie
- Anti-Scalding Cold Door Technology
- Oven Size (WxHxD): 594x594x519 mm
- Carcass Size (WxH): 558x587 mm





### **FBIO 80L 10F BS**

- 60 cm 80 Ltr. Oven Capacity
- A Class Energy efficieny Sensor touch control
- Conventional top and bottom heat
- Full surface grill/Fan Assisted grill
- Top oven/Multi-Cooking/Defrosting
- LED fully electronic display Auto Program
- · Three layeres glass door
- Removable inner Glass 5 shelf positions
- · Enamel Interior for easy cleaning
- Rotisserie Digital clock
- With 10 heating methods
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm





### FBIO 80L 10F GLM-Steamer

- 60 cm 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 10 Cooking Functions Electronic Auto Program
- Sensor Touch + Knob Control Digital Timer
- Cooling Fan Rotisserie
- Enamel Interior for easy cleaning
- · Chromed side racks with anti-tilt system
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxD): 595x595 mm





### FBIO 80L 8F / FBIO 80L 8F BK

- 60 cm 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency 8 Cooking Functions
- Touch + Push / Pull Knob Control Digital Display
- Electronic timer Auto Program
- Three layers glass door Cool touch glass
- 5 shelf positions Side rack support
- Enamel Interior for easy cleaning
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm



Also available in Stainless Steel Strips


### FBIO 83L 6F AF BK

- 60 cm 83 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 6 Cooking Functions Electronic Auto Program
- Sensor Touch Control Digital Timer
- 3D hot air circulation system Air fry function
- Anti-Scalding Cold Door Technology
- Oven Size (WxHxD): 594x594x519 mm
   Carcass Size (WxH): 558x587 mm
- TYEAR PAREME



### FBIO 80L 6F / FBIO 80L 6F BK

- 60 cm 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
   6 Cooking Functions
- Knob Control Mechnanical Timer
- Convection Fan Cooling Fan Rotisserie
- Three layers glass door
   Cool touch glass
- 5 shelf positions
   Side rack support
- Enamel Interior for easy cleaning
- Oven Size (WxHxD): 594x594x569 mm





Also available in Stainless Steel Strips

### FBIO 80L 4F / FBIO 80L 4F BK

- 60 cm 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency 4 Cooking Functions
- Knob Control Mechnanical Timer
- Convection Fan Three layers glass door
- Cool touch glass 5 shelf positions
   Enamel Interior for easy cleaning
- Oven Size (WxHxD): 594x594x569 mm
   Carcass Size (WxH): 595x595 mm









### FPO 621 BK

- 60 cm 83 Ltr. Oven Capacity
- Black Glass Finish
- Electric Multifunction Oven
- 10 Cooking Functions
   Electronic Auto Program
- Memory Function Sensor Touch Control
- Digital Timer Cooling Fan
- Rotisserie Electronic Child lock
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm



### FPO 621 SS

- 60 cm 83 Ltr. Oven Capacity
- Black Glass with SS Trim Finish
- 10 Cooking Functions
- Electronic Auto Program
- Sensor Touch Digital Timer
- Cooling Fan Rotisserie
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm





### FBI WD 6P TC BS

- 14cm deep warming drawer, suitable for installation in a 60 cm high niche together with a 60 cm width steam oven, microwave combi oven, or with a coffee machine usable height approx. 10 cm
- 6 place settings or 20 plates ø 28 cm or up to 80 Espresso cups or 40 Cappuccino cups (depending on size and style) Max. load 20 kg
- Hot air fan system for heating crockery
- Temperatures freely adjustable from approx. 30° 80°
- · Iluminated on / off switch
- 230 V, 50Hz, 432W
- Touch Control

### **FBIO 67L 10F GLB**

- 60 cm 67 Ltr. Oven Capacity
- Black Finish
- Electric Multifunction Oven
- A Class Energy efficiency -15%
- 10 Cooking Functions Electronic Auto Program
- Memory Function Sensor Touch Control
- Digital Timer Cooling Fan
- Rotisserie Electronic Child lock
- Oven Size (WxHxD): 594x594x566 mm
- Carcass Size (WxH): 595x595 mm









### FBIMWO 38L CGS BS

- Capacity 38 L
- Fully sensor touch control
- LED fully electronic display
- · Cooking duration setting
- Door interlock (safety switch)
- Stainless steel cavity
- Digital clock with automatic cut off timer
- Child lock system Defrost Recipe
- Microwave + Grilling + Convection
- MWO Size (WxHxD): 594x455x486 mm
- Carcass Dimension (WxH): 565x458 mm





### **FPM 621 BK**

- Width: 60 cm Capacity: 38 L
- · Finish: Black Glass Finish
- · Sensor touch control
- MW0 + Grill + Convection functions
- Digital timer with auto cut off
- · Auto cook menus
- Oven Size: (WxHxD): 594\*455\*486 mm
- Carcass Size: (WXH): 565\*458 mm





### FBIMWO 38L GLM

- Width: 60 cm Capacity: 38 L
- · Finish: Mirror Glass
- Microwave + Grill + Convection
- Grill + Convection Conviction Grill
- Defrost Recipe Combination Cooking
- Digital Timer Electronic Push Button Control
- MWO Size: (WxHxD): 594\*455\*486 mm
- Carcass Dimension: (WxH): 565\*458 mm





### FBIMWO 32L GLB

- Width: 60 cm Capacity: 32 L
- Finish: Black Grill + Convection
- 10 Auto Cook Menus
- Defrost Combination Cooking
- Digital Timer Electronic Control
- Child Safety Lock
- MWO Size: (WxHxD): 595\*468\*388 mm
- Carcass Dimesion: (WxH): 560\*550\*380 mm





### FBIMWO 32L CGS

- Width: 60 cm Capacity: 32 L
- · Finish: Stainless Steel
- Grill + Convection
- 10 Auto Cook Menus
- Defrost Combination Cooking
- Digital Timer Electronic Control
- · Child Safety Lock
- MW0 Size: (WxHxD): 595\*468\*388 mm
- Carcass Dimesion: (WxHxD): 560\*550\*380 mm





### FBIMWO 25L CGS

- Width: 60 cm Capacity: 25 L
- Finish: Stainless Steel
- Grill + Convection
- 10 Auto Cook Menus
- Defrost Combination Cooking
   Digital Timer Electronic Push Button Control
- MWO Size: (WxHxD): 594\*470\*388 mm
- Carcass Dimesion: (WxH): 560\*550\*380 mm



### FBIMWO 25L CGS BK

- Width: 60 cm Capacity: 25 L
- Finish: Black / White
- Grill + Convection10 Auto Cook Menus
- Defrost Combination Cooking
- Digital Timer Electronic Control
- Child Safety Lock
- MWO Size: (WxHxD): 595\*470\*388 mm
- Carcass Dimesion: (WxHxD): 560\*550\*380 mm





### FBIMWO 20L SG

- Width: 60 cm Capacity: 20 L
- Finish: Stainless Steel
- Grill 10 Auto Cook Menus
- Defrost Combination Cooking
   Digital Timer Electronic Control
- Child Safety Lock
- MWO Size: (WxHxD): 595\*344\*382 mm
- Carcass Dimesion: (WxH): 560\*500\*362 mm





### FBIMWO 20L SG BK

- Width: 60 cm Capacity: 20 LFinish: Black
- Grill 10 Auto Cook Menus
- Defrost Combination Cooking
- Digital Timer Touch ControlChild Safety Lock
- MWO Size: (WxHxD): 594\*344\*382 mm
- Carcass Dimesion: (WxHxD): 560\*500\*362 mm









### FCR 114L 5B HECIR

- Width: 90 cm
- Finish: Stainless Steel
- Oven Capacity: 114 Litres
- 5 Burners: 1 Triple Ring 4Kw 1 Mini
   Triple Ring 2.5Kw + 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Rotisserie
- Auto Ignition for Burners and Oven
- Digital Timer
- Cast Iron Grid
- Enamel Interior for Easy Cleaning
- Size: (W\*D\*H): 900 x 600 x 890 mm





### FCR 53L 4B CIR

- Width: 60 cm
- · Finish: Stainless Steel
- Oven Capacity: 53 Litres
- 4 Burners: 1 Triple Ring 4Kw
   1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Rotisserie
- Auto Ignition for Burners and Oven
- Digital Timer
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: (W\*D\*H): 595 x 600 x 855 mm





### FCR 52L 4B BEG

- Width: 55 cm
- Finish: Stainless Steel
- Oven Capacity: 52 Litres
- 4 Burners: 1 Mini Triple Ring 2.5 Kw 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Auto Ignition for Burners and Oven
- Digital Timer
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: (W\*D\*H): 555 x 570 x 890 mm





### FCR 44L 4B 4FBK

- Width: 50 cm
- Finish: Black
- Oven Capacity: 44 Litres
- 4 Burners: 1 Large + 2 Medium + 1 Smalls
- Gas Grill
- Push Button Ignition for Burners and Oven
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: (W\*D\*H): 500\*500\*890 mm











### FBID 8PR 14S (Built-in)

- 8 Washning Programs
- 14 Place capacity
- SS Finish
- Dual Zone Wash
- Power Memory
- Auto Wash
- Extra Drving
- LED Display
- Natural Drying
- 1-24 hours Delay
- · Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 815\*598\*600 mm
- Carcass Dimesion: (H\*W\*D): 820-865\*600\*580 mm







### FSID 8PR 14S (Semi Integration)

- 8 Washning Programs
- 14 Place capacity
- SS Finish
- Dual Zone Wash
- Power Memory
- Child Safety Lock
- Power wash/Extra drying/Express
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 845\*598\*600 mm
- Carcass Dimesion: (H\*W\*D): 890\*645\*645 mm





### FFSD 8PR 14S BK

- 8 Washning Programs
- 14 Place capacity
- Black Finish
- Dual Zone Wash
- Power Memory
- Child Safety Lock
- Power wash/Extra drying/Express
- LED Display
- Natural Drying
- 1-24 hours Delay
- · Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 845\*598\*600 mm







### FFSD 8PR 14S

- 8 Washning Programs
- 14 Place capacity
- Stainless Steel Finish
- Dual Zone Wash
- Power Memory
- Child Safety Lock
- Power wash/Extra drying/Express
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 845\*598\*600 mm















### Saving water

Faber products can use as little as 10L water to wash a full load dishes, without compromising on energy consumption or wash quality. What's more, Faber satellite spray and intensive spray work efficiently and reduce water greatly.



### A+class energy efficiency level

Energy consuming less, efficiency improving more. Faber products have a heat exchange system which uses the heat generated in the wash cycle, to preheat the water for subsequent rinse cycles. No additional energy is required for the drying cycle and all energy gets a most reasonable utility.



### **Delayed start**

The wash cycle can be delayed to make use of the most convenient time brands.



### Auto

A special sensor sets the wash cycle in accordance with the soil level of the crockery.



#### **Total safety**

Faber dishwashers are fitted with safety systems to prevent the risk of flooding. Special devices cut off the water supply from the mains to the inlet point.



### **Dual Zone**

This wash function allow to use either lower or upper basket when less utensils for washing, this will save consumption of water, time and energy.



### FFSD 6PR 12S Neo Black

- 6 Washning Programs
- 12 Place capacity
- Neo Black Finish
- Half Load
- · Power Memory
- Electronic Push Button Control
- Display
- · Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean
- · Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 845\*598\*600 mm





### FFSD 6PR 12S Neo White

- 6 Washning Programs
- 12 Place capacity
- Neo White Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- Display
- Natural Drying
- 1-24 hours Delay
- · Salt and rinse aid indicators
- Self Clean
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 845\*598\*600 mm





### **FFSD 6PR 8S Ace Inox**

- 6 Washning Programs
- 8 Place capacity
- Inox Finish
- Half Load
- · Power Memory
- Electronic Push Button Control
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 595\*550\*500 mm
- Carcass Dimesion: (H\*W\*D): 662\*605\*555 mm







- 6 Washning Programs
- 12 Place capacity
- Neo Inox Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 845\*598\*600 mm





### FFSD 6PR 8S Ace Black

- 6 Washning Programs
- 8 Place capacity
- Black Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 595\*550\*500 mm
- Carcass Dimesion: (H\*W\*D): 662\*605\*555 mm











### **JCF 145S**

Dual zone : 5-20°C / 41-68°F
Triple Glazed Glass door
Wooden shelves (46 bottles)
Reversible Door
Touchpad controller with LED display
Tropical Climate Class
Circulated Fan cooling system with R600a

Frost Free System : Yes







### **JCF 88**

Single zone: 5-20°C / 41-68°F
Triple Glazed Glass door
Wooden shelves (33 bottles)
Reversible Door
Touchpad controller with LED display
Tropical Climate Class
Circulated Fan cooling system with R600a
Frost Free System: Yes







### **JCF 58**

Single zone: 5-20°C / 41-68°F
Triple Glazed Glass door
Wooden shelves (20 bottles)
Reversible Door
Touchpad controller with LED display
Tropical Climate Class
Circulated Fan cooling system with R600a

Frost Free System : Yes







### **JCF 20**

Single zone: 5-20°C / 41-68°F
Triple Glazed Glass door
Wooden shelves (7 bottles)
Reversible Door
Touchpad controller with LED display
Tropical Climate Class
Circulated Fan cooling system with R600a
Frost Free System: Yes









# Faster and Everywhere

360° Airflow technology provide cold air where it is easily lost, keeping your food fresher.

















### FBIR BCD-256 RAC

FBIR BCD-256 RAC Model Name

Finish White Capacity 256L Construction Type Built-in Energy Efficiency Class **A**+ Climate Class
Temp. Control (mechanical / electronic)
Location of control panel N-T electronic

Outside - on the top stripe

Display Electronic

Super cooling, Super freezing, ECO function, Holiday function Function

Reversible Door Refrigerant R-600a

High temperature, Opened door

Alarm (refrig / freezer) No. of Shelves in Refrigerator 4 Number of Freezer Drawers 3 Voltage (V) 220 - 240 Frequency (Hz) 50 Weight Net / Gross (kg) 72 Size/Dimension  $H\times W\times D$  (cm) 177 x 54 x 54







### **CLASSY COOKTOPS FOR**

Gonvenient Gooking



### SAVE YOUR HOME FROM DANGERS OF GAS LEAKS.

STATE-OF-THE-ART FABER RANGE OF COOKTOPS WITH EUROPEAN GAS VALVES KEEPS YOUR KITCHEN SAFE.













ERGONOMICALLY DESIGNED USE ONLY ONE HAND TO IGNITION



TOUGHENED GLASS BLACK & WHITE COLOR



ALLOY BURNER SHOT BLAST BRASS BURNER



### Nios DLX 905 BB BK

- Slim Type with Black Matt Finish Frame
- 5 Brass Burner: 2 Jumbo + 2 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- **Heat Resistant Metal Knobs**
- Diamond Coated Drip Trav
- Size (WxDxH): 905 x 510 x 100 mm







### Nios Dlx 754 BB BK

- Slim Type with Black Matt Finish Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- **Heat Resistant Metal Knobs**
- Diamond Coated Drip Tray
- Size (WxDxH): 750 x 510 x 100 mm







### Nios DLX 653 BB BK

- Slim Type with Black Matt Finish Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- **Heat Resistant Metal Knobs**
- Diamond Coated Drip Trav
- Size (WxDxH): 600 x 510 x 100 mm









### **PRINCE 3BB BK**

- Slim Type with Black Powder Coated Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- High temperature resistance diamond coated Pan Support
- Champagne gold finish edge protector
- Diamond Coated Drip Tray
- Size (WxDxH): 770 x 380 x 55 mm







### **ONYX 4BB BK CI**

• Black Powder Coated Frame

Nios DLX 804 BB BK

Heat Resistant Metal Knobs

Size (WxDxH): 750 x 510 x 100 mm

• Slim Type with Black Matt Finish Frame

• 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small • Diamond Coated 5mm Grid Pan Support

• Slim Type with Black Powder Coated Frame

High temperature resistance diamond

Champagne gold finish edge protector

4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small

Diamond Coated Drip Trav

Nios DLX 753 BB BK

Heat Resistant Metal Knobs

Size (WxDxH): 750 x 510 x 100 mm

Diamond Coated Drip Tray

PRINCE 4BB BK

coated Pan Support

Diamond Coated Drip Tray Size (WxDxH): 720 x 500 x 55 mm

• Slim Type with Black Matt Finish Frame

Diamond Coated 5mm Grid Pan Support

4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small

- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Diamond Coated Pan Support
- Diamond Coated Drip Tray
- Size (WxDxH): 635 x 500 x 50 mm







### **ONYX 3BB BK CI**

- Black Powder Coated Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Diamond Coated Pan Support
- **Diamond Coated Drip Tray**
- Size (WxDxH): 770 x 380 x 50 mm



### **REMO 4BB BK**

- Slim Black Powder Coated Frame
- 4 Brass Burner: 1Jumbo + 2 Medium + 1Small
- Power Coated Square Pan Support
- Matt Finish SS Tray
- Size (WxDxH): 630 x 500 x 55 mm









### **REMO 3BB BK**

- Slim Black Powder Coated Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- **Power Coated Square Pan Support**
- Matt Finish SS Tray
- Size (WxDxH): 770 x 380 x 55 mm







### **REMO 2BB BK**

- Slim Black Powder Coated Frame
- 2 Brass Burner: 1 Jumbo + 1 Small
- Powder Coated Square Pan Support
- Matt Finish SS Tray
- Size (WxDxH): 700 x 290 x 55 mm













### **SUPREME PLUS XL 4BB AI/4BB**

- · Brush Steel Finish Frame
- 4 Burner Brass: 1 Jumbo Burner + 2 Medium + 1 Small
- **Heat Resistant Euro Coating**
- Square Pan Support
- Removable Square Drip Tray
- Size (WxDxH): 890 x 360 x 55 mm
- Available in Auto Ignition Also







### **SUPREME PLUS 4BB AI/4BB**

- Brush Steel Finish Frame
- 4 Burner Brass: 1 Jumbo Burner + 2 Medium + 1 Small
- Heat Resistant Euro Coating
- Square Pan Support
- Removable Square Drip Tray
- Auto Ignition: Also Push & Hold/Non Al
- Size (WxDxH): 635 x 500 x 55 mm









### **SUPREME PLUS 3BB AI/3BB**

- **Brush Steel Finish Frame**
- 3 Burner Brass: 1 Jumbo Burner + 1 Medium + 1 Small
- **Heat Resistant Euro Coating**
- Square Pan Support
- Removable Square Drip Tray
- Auto Ignition: Push & Hold/Non Al
- Size (WxDxH): 770 x 380 x 55 mm







### **CURVO MIRROR 4BB SS**

- **Brush Steel Finish Frame**
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- **Heat Resistant Euro Coating**
- **Round Pan Support**
- Removable Round Drip Tray
- Size (WxDxH): 630 x 510 x 55 mm









### **CURVO MIRROR 3BB SS**

- **Brush Steel Finish Frame**
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Heat Resistant Euro Coating
- **Round Pan Support**
- Removable Round Drip Tray
- Size (WxDxH): 770 x 370 x 55 mm









### ELITE 4BB BK CI

- Frame: Black Matt
- 4 Brass Burners: Forged Burners with Logo 1 Jumbo + 2 Medium + 1 Small
- Pan support: 800 GM Diamond Coated
- Tray: Black Enameled
- Size (WxDxH): 640 x 510 x 55 mm









### **ELITE 2BB BK CI**

- Black Matt Frame
- 2 Brass Burners: Forged Burners with Logo 1Jumbo + 1Small
- Pan support: 800 GM Diamond Coated
- Tray: Black Enameled
- Size (LxWxH): 650 x 380 x 55 mm









### **SAVOY 4BB BS**

- Black Steel Finish Frame
- 4 Burners with Shot Blast (Faber Logo): 1 Jumbo + 2 Medium + 1 Small
- 300 GM Diamond Coated Pan support
- Feather Touch Knobs Control
- Size (WxDxH): 630 x 500 x 55 mm









### **SAVOY 3BB BS**

- Black Steel Finish Frame
- 3 Burners with Shot Blast (Faber Logo): 1 Jumbo + 1 Medium + 1 Small
- 300 GM Diamond Coated Pan support
- Feather Touch Knobs Control
- Size (WxDxH): 770 x 380 x 55 mm









### **ASTRA 4BB SS**

- Stainless Steel Finish Frame
- 4 Brass Burner:
  - 1 Super Jumbo + 1 Medium + 2 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray

**ASTRA 2BB SS** 

2 Brass Burner:

Size (WxDxH): 585 x 500 x 55 mm





### **ASTRA 3BB SS**

- · Stainless Steel Finish Frame
- 3 Brass Burner:
- Fixed Round Drip Tray
- Size (WxDxH): 690 x 360 x 55 mm











**Powder Coated Round Pan Support** 

1 Super Jumbo + 1 Medium









### JUMBO XL AI 4BB/JUMBO XL 4BB

- Black Matt Frame
- 4 Burner with Shot Blast (Faber Logo): 1 Jumbo + 2 Medium + 1 Small
- Black Coated Round Pan Support
- Ignition: Manual / Auto Ignition
- Double Round Drip Tray
- Glass Size (WxDxH): 950 x 360 x 55 mm









### **DOUBLE JUMBO 4BB BK**

- Black Matt Frame
- 4 Burner with Shot Blast (Faber Logo): 2 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Glass Size (WxDxH): 630 x 500 x 55 mm







### **JUMBO 4BB BK**

- Black Powder Coated Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 635 x 500 x 55 mm
- Also Available in Auto Ignition Push Button









### JUMBO 4BB SS

- Stailess Steel Finish Frame
- 4 Brass Burner:
- 1 Jumbo + 1 Medium + 2 Small Power Coated Round Pan Support
- **Double Round Drip Tray**
- Size (WxDxH): 635 x 500 x 55 mm









### JUMBO 3BB BK

- Black Powder Coated Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- **Double Round Drip Tray**
- Size (WxDxH): 770 x 360 x 55 mm
- Also Available in Auto Ignition Push Button









### JUMBO 3BB SS

- · Stainless Steel Finish Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- **Power Coated Round Pan Support**
- **Double Round Drip Tray**
- Size (WxDxH): 770 x 380 x 55 mm









### JUMBO 2BB BK

- Black Powder Coated Frame
- 2 Brass Burner: 1 Jumbo + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 600 x 360 x 55 mm









### **POWER 4BB BK**

- Black Powder Coated Frame
- 4 Brass Burner: 2 Medium + 2 Small
- **Powder Coated Round Pan Support**
- Fixed Round Drip Tray
- Size (WxDxH): 585 x 500 x 55 mm





### **POWER 3BB BK**

- Black Powder Coated Frame
- 3 Brass Burner: 2 Medium + 1 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Trav
- Size (WxDxH): 690 x 360 x 55 mam





### **POWER 2BB BK**

- Black Powder Coated Frame
- 2 Brass Burner: 1 Medium + 1 Small
- Powder Coated Round Pan Support
- **Fixed Round Drip Tray**
- Size (WxDxH): 600 x 290 x 55 mm









## **FABER PRESENTS** INDIA'S CHOICE CANDY

**Available Colours** 











## 8 IN 1 FUNCTIONS

















## **MASTERCHEF**

**ALL-IN-1 MIXER GRINDER, JUICER & BLENDER** WITH KIT FOR WEIGHING, CHOPPING, CUTTING AND SLICING.

### **Available Colours**

















**Free Accessories** 



### FMG MASTERCHEF 3J/4J

- Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS 304 Jars & Blades
- Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nylon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS 304 Jars & Blades with lockable Jar Lids. Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar





### FMG CANDY 4 J/3J

- · Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS 304 Jars & Blades
- Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nvlon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS 304 Jars & Blades with lockable Jar Lids, Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar







### FMG CROWN 800 W 3J/4J

- Manual functions
- 4 Jar Blender Mixer Grinder
- Motor Capaity: 800 Watts (Copper)
- RPM, 20000 Approx. No Load Speeds
- 0.4 ltrs/ 1.5 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip lock









Mystic Red

### FMG HILUX 550 W

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capaity: 550 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip lock







### **FMG VOGUE 600 W**

- · Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capaity: 600 Watts (Copper)
- RPM, 19000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip lock







Blanc

### **SONNET 500 W**

- · Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capaity: 500 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 1.2 ltrs/ 0.8 ltrs/ 0.350 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug









### FHB 6059 FS BK

44 mm Diameter 550w DC Motor ABS Plastic Body SS Shaft & Blade 1 Speed + Stepless Variable Speed Chopper bowl, Whisk, Measuring Cup, 1L Storage Container





### FHB 6059 SO BK

44 mm Diameter 550w DC Motor ABS Plastic Body SS Shaft & Blade 1 Speed + Stepless Variable Speed 1L Storage Container







High Performance DC Motor



Swirl Flow



BPA Free Plastics



Gearbox Drive



Super Quiet > 45 dB



Infinitely Adjustable Control



FAQA Certified



ISO 9001:2008 Certified Factory



180 Quality Tests





Micromesh Juicing Sieve



Multi Purpose SS Jar



3-Speed Control



Powerful 500W Motor



Double Lock System

### FJMG REGAL TREND 2J

Motor Capacity: 500 Watts

Jar: 0.8 L / 1.5 L

High Performance Blade

Micromesh Juicing Sleeves

Speed: 3 Speed + 1 Pulse (18000 RPM)

Accessories: Spatula

Color: White - Cherry Red

2 Pin 2 Core





### Juice I Smoothies I Nut Milk I Sorbet I Salad Maker



High Performance DC Motor



**BPA Free Plastic** 



< 45db



Upto 95% Efficiency



28Nm Torque Gear Box



**Comes with Salad Maker Attachments** 













### **FSJ 200 BK-M**

- 80mm big feeder
- LCD display, digital control.
- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% juice rate
- Safety protection system
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 200W
- Materials: ABS, food grade PC, 304 stainless steel, copper
- Salad making



### **FSJ 150 R**

- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% juice rate
- Special patent
- Safety protection system
- Low noise, Lower vibration
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 150W
- Materials: ABS, food grade PC, 304 stainless steel, copper



### Salad Maker





### **FABER Slow Juicer**

### OTHER Centrifugal juicer







FRUITS (Hard & Soft) Apple, Grape, Orange, Pomegranate, SweetLime, Grapefruit, Pineapple, Watermelon, Mango, Dragonfruit, Peach, Pear, etc



LEAFY GREENS Wheatgrass, Celery, Parsley, Spinach, Kale, etc. Add Apple / Pineapple / Orange to Leafy Greens for delicious Healthy Juice.



VEGETABLES Carrot, Beetroot, Cucumber, Tomato, Bottle-guard, Amla, Bitter-guard, etc



**NUT MILK**Almond, Cashew, Soy, etc.
Prepare Delicious & Healthy Vegan Nut Milk



## C-GUARD

### **RO WITH VITAMIN C FILTER**





DELIVERS 4.5 mg OF VITAMIN C PER 100 ml OF WATER







### **C-GUARD PLUS**

- RO + MAT + Vitamin C + UV
- 7 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment 1
- Sediment 2
- Pre Carbon
- 80 GPD RO Membrane
- C-Guard Filter
- Post Carbon in C-Guard Filter
- · Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator 2500 PPM TDS# Filtration Limit







### **ALTROZ**

- RO + UV + UF + MAT + Mineral Filter Filtration
- 10 Litres (Gross Volume) Storage Tank
- · 9 Stage of Filtration
- Sediment 1
- Sediment 2
- Pre Carbon
- · Heavy Duty RO Membrane (Made In USA)
- Post Carbon
- Inside Post Carbon MAT\* Filter
- Mineral Filter
- **UF Membrane**
- **UV** Filter
- 3000\*PPM TDS# Filtration Limit
- Water Level Indicator



### **CASPER PLUS**

- RO + UV + CU Guard Filtration
- 10 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment
- Sediment 2
- Pre Carbon
- 80 GPD RO Membrane
- Post Carbon
- **UV** Filter
- Copper Guard
- 2500\* PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator





### **NEUTRON PLUS**

- RO + UV + UF + CU Guard + PH Enhancer Filtration
- 10 Litres (Gross Volume) Storage Tank
- · 9 Stage of Filtration
- External Sediment 1
- Sediment 2
- Pre Carbon
- CSM 80 GPD RO Membrane
- Post Carbon
- **UF Membrane**
- **UV** Filter
- Copper Guard
- PH Enhancer
- 2500\*PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator



### **CASPER DLX**

- RO + UF + MAT Filtration
- 10 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- **External Sediment**
- Sediment 2
- Pre Carbon
- 80 GPD RO Membrane
- Post Carbon
- Inside Post Carbon MAT\* Filter
- 2500\* PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator





### **C-GUARD**

- RO + MAT + Vitamin C
- 7 Litres (Gross Volume) Storage Tank
- · 7 Stage of Filtration
- External Sediment 1
- Sediment 2
- Pre Carbon
- 80 GPD RO Membrane
- C-Guard Filter
- Post Carbon in C-Guard Filter
- Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator
- 2500 PPM TDS# Filtration Limit





### UTS PT PRO (RO+UV)

- RO + UV Filtration
- 15 Litres (Gross Volume) Storage Tank
- 6 Stage No of Filtration
- Sediment 1
- Sediment 2
- **Pre Carbon**
- CSM 80 GPD RO Membrane
- Post Carbon
- 2500\* PPM TDS# Filtration Limit



1.6LPM RO Booster Pump





### **XUV 8000**

7 Litres (Gross Volume) Storage Tank

UV + UF+ Alkaline

7 Stage Filteration

Sediment-1 Pre Carbon

Sediment-2

Post Carbon

Alkaline in Post Carbon **UV** Filter

**UF Memberane** 

Water Level Indicator

Tank Full Indicator

500 PPM TDS# Filteration Limit





## Bake, toast and grill GOODNESS!

Make every day delightfully delicious with the FABER OTG.



THE **FOTG** SERIES







AUTO SHUT OFF & READY BELL



**ACCESSORIES FOR MULTI-COOKING** 



ROTISSERIE



CONVECTION



**CRUMB TRAY** 

**Safety & Standards** 



180 Quality Tests



Coating





**Cool Touch** 



MS Special



### **FOTG 60L**

**60 Litres Capacity Rotisserie Function Convection Function** 2200 Watts 60 min timer 100 - 250° C Adjustable Temp Cool Touch Handle **4pcs SS Heating Element** With Indicator Light

4 Stages Switch Heating Selection: off / Upper Heating / Lower Heating / Upper & Lower Heating Auto Shut Off & Ready Bell Removable Crumb Tray



### FOTG 45L

45 Litres Capacity Rotisserie Function **Convection Function** 2000 Watts 60 min timer 100 - 250° C Adjustable Temp Cool Touch Handle **4pcs SS Heating Element** With Indicator Light 6 Stages Switch Heating Selection: off / Upper Heating / Lower Heating / **Upper & Lower Heating** Auto Shut Off & Ready Bell



### FOTG 34L

34 Litres Capacity **Rotisserie Function Convection Function** 1600 Watts 60 min timer 100 - 250° C Adjustable Temp Cool Touch Handle **4pcs SS Heating Element** With Indicator Light 6 Stages Switch Heating Selection: off / Upper Heating / Lower Heating / Upper & Lower Heating Auto Shut Off & Ready Bell Removable Crumb Tray



### FOTG 24L

Removable Crumb Tray

24 Litres Capacity **Rotisserie Function Convection Function** 1600 Watts 60 min timer 100 - 250° C Adjustable Temp Cool Touch Handle **4pcs SS Heating Element** With Indicator Light 6 Stages Switch Heating Selection: off / Upper Heating / Lower Heating / Upper & Lower Heating Auto Shut Off & Ready Bell Removable Crumb Tray



### FOTG 9L

9 Litres Capacity 1000 Watts 30 min timer 100 - 250° C Adjustable Temp **Cool Touch Handle** SS Heating Element With Indicator Light off / Upper Heating / Lower Heating / Upper & Lower Heating Auto Shut Off & Ready Bell Removable Crumb Tray







### FT 950W DLX BK

Capacity: 2-short slice 220-240V 50-60Hz 950W Electronic control

With reheat/defrost/cancel setting and have red indicator Ajustable browning control/7 setting

With anti-jam function



### FT 900W BK

Capacity: 2-short slice 220-240V 50-60Hz 900W

Electronic control

With reheat/defrost/cancel setting and have red indicator

Ajustable browning control/7 setting

With anti-jam function





### **Features:**



2 Bread Slice Slot



**Reheat Function** 





**Defrost Function** 



950 W Max/900 W



**Cancel Function** 



Food Grade **Heating Element** 



7 Browning Setting

### Convenience



**Removable Crumb** Tray



Food Grade Plastic



Auto Pop Up







Thermostatically controlled Auto Cut off



BPA free plastic



Non Stick Coating



Cool Touch Housing

### **FSTG 750 BK**

SANDWICH MAKER
Cool touch housing
2-slice sandwich maker grill
Non-stick coating plate for easy cleaning
Antiskid feet
Cord storage
Thermostatically controlled lamp
Power & ready lights



750 W Max Input



High Performance Heating Element









ISO 9001:2008 Certified Factory



180 Quality Test





BPA FREE



PENA EREE







### **KETTLE SS**

Capacity: 1.8L, 1.5L, 1.2L
220-240V 50Hz 1500W
Auto Switch off
Hinged and locking lid
Detachable jug kettle with 360 power base
Cool touch Handle
Dry Heat Protection
Over Heat Protection
Auto Switch Off when water is boiled
Stainless steel body with pre attached Filter



### KETTLE 1.7L

Capacity: 1.7L
220-240V 50/60Hz, 2200W
Plastic kettle with a detachable non-slip base
Safety lock lid
With steam and anti-dry
Overheating the power-off function of triple protection
Stainless steel heat element heating
On/off switch and light indicator
Transparent water gaugew show the water level
With detachable filter for convenient cleaning



### **Features:**



ON/OFF Switch with light indicator



Removable filter



360 degree base



Dry heating protection



1.7 Litres



Water level indicator



**Cool Touch Body** 



Hidden SS 304 Element



2200 W Max Input



FAQA Certified



ISO 9001:2008 Certified Factory





**BPA FREE** 



PFOA FREE





85 % REDUCED OIL USAGE









SMART LIGHT INDICATOR



ZERO OIL- HEALTHY COOKING



8 PRE SET COOKING MENUS



SWIRL HEATING TECHNOLOGY



4.5 L CAPACITY



AUTO SHUT OFF



### FAF 4.5MSBK

- Capacity: 4L (basket) / 4.5 (drawer)
- 220-240v 50/60Hz 1500W
- Plastic body with metal painting decoration
- Detachable non stick container
- Detachable frying basket
- · With overheat protection
- 30/60 min timer automatically shut off for precise cooking
- LED display, touch panel
- Power cord storage
- Operation light indicator
- With few drops of oil or no oil during frying process, healthy lifestyle
- Can fry MAX 1500g frozen fries. (basket)





### **FAF 3.0 L BK**

- Capacity: 2.7L (basket) / 3.0L (drawer)
- 220-240v 50/60Hz 1300W
- Plastic Body
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- Power cord storage
- Operation light indicator
- Non-slip feet
- With few drops of oil or no oil during frying process, healthy lifestyle



### **FEATURES & CONVIENCE**



4.5 Litres



80 - 200° C



**Cool Touch** Handle



**FAQA Certified** 



ISO 9001:2008 **Certified Factory** 



**180 Quality Tests** 



**Swirl Cooking** 



**Non Stick** Slide Pan Out



1500 W Max Input



**AUTO SHUT OFF** 



PFOA FREE



**BPA FREE** 



**DISWASHER SAFE PAN** 



Digital



**ROAST** 







**GRILL** 

**BAKE** 



## **DURAMAX WH 150W**

Capacity: 2 Litres

Stainless steel drum

**Overload Protector** 

Direct drive transmission

150-Watt Motor, 960RPM, 230V, 50HZ

Transparent lid and air vent



2 Litres



25 MINUTES CONTINUOUS RUNNING



SPECIAL HIGH GRADE STONE





**GFABER** 



## **FMC 1.2 BK**

Capacity: 1.2 Litres

 $220 \hbox{-} 240 \hbox{V}\, 50 \hbox{-} 60 \hbox{Hz}\, 700 \hbox{W}$ 

SS 304 Container

**Multi Cooker** 





FOOD GRADE INTERNAL



1.2 LITRES









### \*5-Star BEE Standard

BEE 100%

\* TC Apply

### PRESENTING FABER GEYSERS WITH 12 SAFETY FEATURES

SFABER

Whether it's your bathroom or your kitchen, make the safer choice with Faber Geysers. With 12 built-in safety features, they are engineered to deliver peace of mind. Always.



#Safer With Faber



### **LEXUS**

- FWG LEXUS 10, FWG LEXUS 15, FWG LEXUS 25
- 10, 15L, 25 Capacity
- Vertical Installation
- Red Ivory/Sandy Black Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating CRCA EDD Grade Tank material
- MFV Safety valve Thermostat Thermal cut off

### **AVAILABLE COLOR**





Sandy Black

Red Ivory

### **JAZZ LHS & RHS**

- FWG JAZZ 15H, FWG JAZZ 25H,
- 15L, 25L Capacity
- Horizontal Installation
- White Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current 50 Hz Rated Frequency
- 4 Star Rating Rated Star Rating CRCA EDD Grade Tank material
- MFV Safety valve Thermostat Thermal cut off







### **INSTA**

- FWG INSTA 1L (3KW), FWG INSTA 1L (4.5KW), FWG INSTA3L (3KW), FWG INSTA 3L (4.5KW),
- 1L, 3L Capacity
- Vertical Installation
- White Color
- · Heating indicator
- 8 Bar High Working Pressure
- Fixed Control (55 Degree C) Controls
- 3000W, 4500 W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current 50 Hz Rated Frequency
- SS TANK (304 grade) Tank material
- PRV Safety valve Thermostat Thermal cut off
- 3 Pin, 3 core plug
- 8 Bar High Working Pressure



- FWG JAZZ 15V, FWG JAZZ 25V,
- 15L, 25L Capacity
- · Vertical Installation
- Wine Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- 8 Bar High Working Pressure
   Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating CRCA EDD Grade Tank material
- MFV Safety valve Thermostat Thermal cut off







### **VULCAN**

- FWG VULCAN 6V, FWG VULCAN 10V, FWG VULCAN 15V, FWG VULCAN 25V
- 6L, 10L, 15L, 25L Capacity
- Vertical Installation
- White Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating CRCA EDD Grade Tank material
- MFV Safety valve Thermostat Thermal cut off















**Single Weld line** 



High Working Pressure



**Thermal Cutout** 



No Water Leakages Even Coating Across Area



5-Bolt Flange



High Precision Thermostat



MFV (Exteme Condition)



Low Carbon CRCA Sheet for better strength



**Multi-Layer** 



**Magnesium Anode** 



**Glasslined Element** 



**Girth Welding** 



### **CYRUS**

- FWG CYRUS 15, FWG CYRUS 30
- 15L, 25L Capacity
- Vertical Installation
- Black/Cherry Colour
- · Digital display, Heating indicator
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
   2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating
- MFV Safety valve Thermostat Thermal cut off







### Also available in manual model





**Manual Model** 

**Digital Model** 

### JAZZ ELITE 35/50

- FWG JAZZ ELITE 35, FWG JAZZ ELITE 50
- 35L, 50L Capacity
- Vertical Installation
- White Color
- **Heating indicator**
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current 50 Hz Rated Frequency
- 4 Star Rating Rated Star Rating
- MFV Safety valve Thermostat Thermal cut off







### **AGNES**

- FWG AGNES
- Tank less
- Vertical Installation
- · White Color
- Heating indicator
- 8 Bar High Working Pressure
- 3500W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current
- 50 Hz Rated Frequency
- Thermostat
- · Thermal cut off









## YOU AND YOUR FAMILY... **NOW SAFER WITH FABER**





Seafoam







Tableware



**Available Colour** 

Seafoam

Blonde

Indigo

Iris



### **OXYPURE 10**

- 10 Litres Capacity
- ABS Material
- 230V 50Hz, AC Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Table Mounted Installation
- 1.45 Kgs Product Weight
- Dimesion (L\*W\*H): 330\*270\*320 mm



### TAD 1L SS

- 1 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
  - Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



### TAD 2L SS

- 2 Litre Capacity
- · Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



### TAD 5L SS

- 5 Litre Capacity
- · Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



### TAD 2L 3-in-1

- 2 Litre Capacity
- Plastic, HDPE/PET Material
- 1 Meter Without Charger Socket Charging Cable
- Plug & Play Type
- Dual, Table Top or Wall Mounted Installation
- 3-in-1 Dispenser with option of dispensing Liquid, High Viscose Gel and Soap
- Wall Mounting Plastic Stand Unit as Accessories with the product



### **FDS CARE PRO**

- DC 5V / 2Amp Rated Inpur
- 100 W Rated Power
- 0.5 kg Net weight
- 245 x 200 x 170mm Product Size
- Type-C or USB Input interface
- 0-40°C Working Temperature
- Full UV disinfection of upper and lower double layers
- Removes bacteria & viruses within 3 minutes
- 254 to 260 mm range powerfully germicidal
- Portable & compact design
- Unlike chemical treatments, the process of UV disinfection is environmentally freindly

### **FDS CARE PLUS-FR**

- 220V~, 50Hz Rated Voltage
- 100 W Rated Power
- 0.69 kg Net weight
- Protection from dustRemoves bacteria & viruses
- Removes bacteria & viruses
   Multi functional foldable UV Box
- 310 mm x 60 mm Product size (Unfolding)
- 310 mm x 160 mm Product size (Unfolding)
- 3 in 1 (UV Sterilization + Pasteurization + Cloth dryer
- A cloth dryer (360 degree cycle drying)
- Aroma Therapy (Removes odour)
- 254 to 260 mm range powerfully germicidal
- Portable & compact design
- · Unlike chemical treatments, the process of UV disinfection is environmentally freindly





### **FDS SUV 20 / FDS SUV 30**

- 20 Litres / 30 Litres Capacity
- 230V AC 50Hz Rated Input Voltage
- 22 W Operating Power (W)
- 0.5 W Stand by Power (W)
- 2 Nos each of 11 W Germicidal Lamps
- 3 Pin 5A, 1.2 meters Power Cable
- 1 to 12 minutes Timer Setting
- Metallic Powder Coated Material of Body
- Digital Display Type
- 8 Buttons Control Panel
- 254 nm UV-C Light Output
- 0°C 45°C, 10-85% humidity Operationg Temperature
- · UV-C protection against opening of door







Scan to download Faber Master Catalogue



### FRANKE FABER INDIA PRIVATE LIMITED

Regd. Office/ Factory: 1086/1/2, Sanaswadi, Nagar Road, Tal Shirur, Pune 412208, Maharashtra, India Toll Free Helpline: 1800 209 3484, email: ks-customercare.in@franke.com, website: www.faberindia.com

Follow us on: | FaberIndia | FaberIndia | FaberSpaIndia | Fabe

Franke Faber India Private Limited is Licensed User of ®Trademark of FABER S.P.A

Features and specifications are subject to change without prior notice. Pictorial representation may not be identical to actual product.